



## Index of Papers 1982(1) – 2012(4)

522 papers in alphabetical order

- ABACI, S., EDWARDS, J. S. & WHITTAKER, B. N. (1992): Relative Permeability Measurements for two Phase Flow in unconsolidated Sands. – *Mine Water Environ*, **11** (2): 11–26, 8 fig.; Wollongong.
- ABBASSI, R., KHAN, F. & HAWBOLDT, K. (2009): Prediction of Minerals Producing Acid Mine Drainage Using a Computer-Assisted Thermodynamic Chemical Equilibrium Model. – *Mine Water Environ*, **28** (1): 74–78, 2 fig., 3 tab.; Heidelberg.
- ABED, A. M., SADAQAH, R. & KUISI, M. A. (2008): Uranium and Potentially Toxic Metals During the Mining, Beneficiation, and Processing of Phosphorite and their Effects on Ground Water in Jordan. – *Mine Water Environ*, **27** (3): 171–182, 5 fig., 5 tab.; Berlin.
- ACKMAN, T. E. (2000): Feasibility of Lime Treatment at the Leviathan Mine Using the In-Line System. – *Mine Water Environ*, **19** (1): 56–75, 14 fig.; Littleton, CO.
- ACKMAN, T. E. (2003): An Introduction to the Use of Airborne Technologies for Watershed Characterization in Mined Areas. – *Mine Water Environ*, **22** (2): 62–68, 5 fig.; Berlin.
- ADAMCZYK, A. F., LESNIAK, T. C. & MOTYKA, J. (1987): Origin of Nitrogen Compounds in Water Infiltrating into Porphyry Quarry, Zalas, Southern Poland. – *Int. J. Mine Water*, **6** (2): 27–36, 3 fig.; Budapest.
- ADAMS, R., AHLFELD, D. & SENGUPTA, A. (2007): Investigating the Potential for Ongoing Pollution from an Abandoned Pyrite Mine. – *Mine Water Environ*, **26** (1): 2–13, 4 fig., 6 tab.; Berlin.
- AGARTAN, E. & YAZICIGIL, H. (2012): Assessment of Water Supply Impacts for a Mine Site in Western Turkey. – *Mine Water Environ*, **31** (2): 112–128, 14 fig., 3 tab.; Heidelberg.
- AKABZAA, T. M., JAMIESON, H. E., JORGENSON, N. & NYAME, K. (2009): The Combined Impact of Mine Drainage in the Ankobra River Basin, SW Ghana. – *Mine Water Environ*, **28** (1): 50–64, 4 fig., 8 tab.; Heidelberg.
- AKESSON, J.-A. (1983): A Study of Geohydrological and Rock Engineering Environment at Lappvattnet Experimental Mine. – *Int. J. Mine Water*, **2** (3): 25–38, 7 fig., 1 tab.; Granda.
- AL-FOUZAN, F., HARBERT, W., DILMORE, R., HAMMACK, R., SAMS, J., VELOSKI, G. & ACKMAN, T. E. (2004): Methods for Removing Signal Noise from Helicopter Electromagnetic Survey Data. – *Mine Water Environ*, **23** (1): 28–33, 7 fig.; Berlin.
- AL-ZOUBI, H. S. & AL-THYABAT, S. S. (2012): Treatment of a Jordanian Phosphate Mine Wastewater by Hybrid Dissolved Air Flotation and Nanofiltration. – *Mine Water Environ*, **31** (3): 214–224, 9 fig., 4 tab.; Heidelberg.
- ALAKANGAS, L. & ÖHLANDER, B. (2006): Pilot-scale Studies of Different Covers on Unoxidised Sulphide-rich Tailings in Northern Sweden: the Geochemistry of Leachate Waters. – *Mine Water Environ*, **25** (3): 171–183, 2 fig., 6 tab.; Berlin.
- ALDERTON, D. H. M., SERAFIMOVSKI, T., MULLEN, B., FAIRALL, K. & JAMES, S. (2005): The Chemistry of Waters Associated with Metal Mining in Macedonia. – *Mine Water Environ*, **24** (3): 139–149, 4 fig., 2 tab.; Berlin.



- ALL, R. & TURNER, J. (2004): A Study of the Suitability of Saline Surface Water for Recharging the Hypersaline Palaeochannel Aquifers of the Eastern Goldfields of Western Australia. – *Mine Water Environ*, **23** (3): 110–118, 11 fig., 1 tab.; Berlin.
- ALLEN, D. M. & VOORMEIJ, D. A. (2002): Oxygen-18 and Deuterium Fingerprinting of Tailings Seepage at the Sullivan Mine. – *Mine Water Environ*, **21** (4): 168–182, 5 fig., 2 tab.; Berlin.
- ALLEN, D. M. & LEPITRE, M. E. (2004): Use of Pb,  $^{18}\text{O}$ , and  $^2\text{H}$  Isotopes in Mining-related Environmental Studies. – *Mine Water Environ*, **23** (3): 119–132, 7 fig., 2 tab.; Berlin.
- AMEZAGA, J. M., KROLL, A., JARVIS, A. P., REES, B., PUURA, E., MISERÉ, W. M. H., WINGS, R. W. M. G., BAJTOŠ, P., WEBER, L., SÁRVÁRYNÉ-SZENTKATOLNAY, B., GARZONIO, C. A., WOLKERSDORFER, C., YOUNGER, P. L. & BOWELL, R. (2004): Contemporary Reviews of Mine Water Studies in Europe, Part 1. – *Mine Water Environ*, **23** (4): 163–183, 16 fig., 3 tab.; Berlin.
- ANANDAN, K. S., SAHAY, S. N., RAMABADRAN, T. K. & PRASAD, S. S. (2010): Ground Water Control Techniques for Safe Exploitation of the Neyveli Lignite Deposit, Cuddalore District, Tamil Nadu, India. – *Mine Water Environ*, **29** (1): 3–13, 8 fig., 2 tab.; Berlin.
- ANANDAN, K. S., SAHAY, S. N. & KARTHIKEYAN, S. (2010): Delineation of Recharge Area and Artificial Recharge Studies in the Neyveli Hydrogeological Basin. – *Mine Water Environ*, **29** (1): 14–22; Berlin.
- ANASTASI, F. S. & WILLIAMS, R. E. (1984): Aquifer Restoration at Uranium in situ Leach Sites. – *Int. J. Mine Water*, **3** (4): 29–37, 3 fig., 2 tab.; Madrid.
- ANDREICHUK, V., ERASO, A. & DOMÍNGUEZ, M. C. (2000): A Large Sinkhole in the Verchnekamsky Potash Basin in the Urals. – *Mine Water Environ*, **19** (1): 2–18, 9 fig.; Littleton, CO.
- ANNANDALE, J. G., JOVANOVIĆ, N. Z., TANNER, P. D., BENADÉ, N. & DU PLESSIS, H. M. (2002): The Sustainability of Irrigation with Gypsiferous Mine Water and Implications for the Mining Industry in South Africa. – *Mine Water Environ*, **21** (2): 81–90, 5 fig., 2 tab.; Berlin.
- ARDEJANI, F. D., SINGH, R. N., BAAFI, E. & PORTER, I. (2003): A Finite Element Model to: 2. Simulate Groundwater Rebound Problems in Backfilled Open Cut Mines. – *Mine Water Environ*, **22** (1): 39–44, 10 fig.; Berlin.
- ARDEJANI, F. D., SINGH, R. N., BAAFI, E. & PORTER, I. (2003): A Finite Element Model to: 1. Predict Groundwater Inflow to Surface Mining Excavations. – *Mine Water Environ*, **22** (1): 31–38, 7 fig., 2 tab.; Berlin.
- ARMSTRONG, D. (1987): Consolidation Drainage of Fine Grained Materials. – *Int. J. Mine Water*, **6** (4): 1–14, 7 fig., 4 tab.; Nottingham.
- ARMSTRONG, D. (1994): Acid Mine Drainage – Community Perceptions. – *Mine Water Environ*, **13** (1): 41–50, 5 fig.; Wollongong.
- ASLIBEKIAN, O. & MOLES, R. (2001): An Investigation of Environmental Contamination at the Silvermines Abandoned Mines Site in Ireland based on the Preliminary Delineation of Pollution Hot Spots. – *Mine Water Environ*, **20** (2): 73–80, 5 fig., 5 tab.; Berlin.
- ASTON, T. R. C. (1985): Tritium Dating of Water Inflow at the Donkin-Morien Project, Nova Scotia. – *Int. J. Mine Water*, **4** (2): 41–52, 3 fig., 2 tab.; Madrid.



- ASTON, T. R. C. & MACLEOD-LAFOSSE, H. (1985): Analyses of Water Inflows in the Donkin-Morien No. 3 Tunnel, Sydney Coalfield, Nova Scotia. – *Int. J. Mine Water*, **4** (3): 11–23, 7 fig., 1 tab.; Madrid.
- ASTON, T. R. C. & SINGH, R. N. (1982): A new approach for determining permeability characteristics of rock using slug testing techniques. – *Int. J. Mine Water*, **1** (3): 33–42, 2 fig., 4 tab.; Granada.
- ASTON, T. R. C. & SINGH, R. N. (1983): A Reappraisal of Investigations into Strata Permeability Changes Associated with Longwall Mining. – *Int. J. Mine Water*, **2** (1): 1–14, 11 fig.; Granada.
- ASTON, T. R. C., SINGH, R. N. & WHITTAKER, B. N. (1983): The Effect of Test Cavity Geology on the In Situ Permeability of Coal Measures Strata Associated with Longwall Mining. – *Int. J. Mine Water*, **2** (4): 19–34, 3 fig., 3 tab.; Granada.
- ATKINS, A. S. & POOLEY, F. D. (1982): The Effects of Bio-Mechanisms on Acidic Mine Drainage in Coal Mining. – *Int. J. Mine Water*, **1** (1): 31–44, 7 fig., 2 tab.; Granada.
- ATKINS, A. S. & SINGH, R. N. (1982): A Study of Acid and Ferruginous Mine Water in Coal Mining Operations. – *Int. J. Mine Water*, **1** (2): 37–57, 10 fig., 2 tab.; Granada.
- ATKINSON, L. C., KEEPING, P. G., WRIGHT, J. C. & LIU, H. (2010): The Challenges of Dewatering at the Victor Diamond Mine in Northern Ontario, Canada. – *Mine Water Environ*, **29** (2): 99–107, 12 fig.; Berlin.
- ATKINSON, T. (1988): Water – one of Mankind's most valuable Commodities. – *Int. J. Mine Water*, **7** (1): 1–7; Nottingham.
- ATKINSON, T. & DOW, R. (1982): Surface Mine Drainage Using Large Diameter Pumpwells. – *Int. J. Mine Water*, **1** (4): 1–26, 5 fig.; Granada.
- ATKINSON, T., DOW, R. & BROM, R. W. C. (1984): A Review of Hydrogeological Investigations for Deep Coal Mines, with special Reference to Petrophysical Methods. – *Int. J. Mine Water*, **3** (3): 19–34; Madrid.
- ÁVILA, P. F., FERREIRA DA SILVA, E., SALGUEIRO, A. R. & FARINHA, J. A. (2008): Geochemistry and Mineralogy of Mill Tailings Impoundments from the Panasqueira Mine (Portugal): Implications for the Surrounding Environment. – *Mine Water Environ*, **27** (4): 210–224, 5 fig., 6 tab.; Berlin.
- AWBERY, H. G. (1988): The Protection of the Nottinghamshire Coalfield by the Bentinck Colliery Minewater Concentration Scheme. – *Int. J. Mine Water*, **7** (1): 9–24, 15 fig.; Nottingham.
- BAGDY, I. & SULYOKM, P. (1990): Case Example on Acid-Resistant Bulkhead in Hungary. – *Int. J. Mine Water*, **9** (1–4): 97–109, 7 fig.; Castro Verde.
- BAHRAMI, A., HOSSEINI, M. & RAZMI, K. (2007): An Investigation on Reusing Process Water in Gold Cyanidation. – *Mine Water Environ*, **26** (3): 191–194, 8 fig., 3 tab.; Berlin.
- BANKS, D. (1994): The Abandonment of the Killingdal Sulphide Mine, Norway: a Saga of Acid Mine Drainage and Radioactive Waste Disposal. – *Mine Water Environ*, **13** (3–4): 35–47, 4 fig., 1 tab.; Wollongong.
- BARRETT, D., MORAN, C. & COTE, C. (2010): A Method for Estimating the Potential Trading of Worked Water among Multiple Mines. – *Mine Water Environ*, **29** (2): 92–98, 3 fig., 2 tab.; Berlin.



- BASU, A., BOYD, M. J. & MCCONCHIE, P. (1988): Numerical Modelling of two Phase Flow of Gas and Water during Drainage of a Coal Seam. – *Int. J. Mine Water*, **7** (4): 27–42, 8 fig., 1 tab.; Nottingham.
- BATTY, L. C. (2005): The Potential Importance of Mine Sites for Biodiversity. – *Mine Water Environ*, **24** (2): 101–103; Berlin.
- BEHROOZ, M. & BORDEN, R. C. (2012): Waste Glycerol Addition to Reduce AMD Production in Unsaturated Mine Tailings. – *Mine Water Environ*, **31** (3): 161–171, 9 fig.; Heidelberg.
- BEHROOZ, M. & BORDEN, R. C. (2012): Physical, Hydrologic, and Aqueous Chemical Characterization of the Ore Knob Tailings Pile (Ashe County, North Carolina, USA). – *Mine Water Environ*, **31** (1): 3–15, 9 fig., 3 tab.; Heidelberg.
- BEI, X. & CHINA DAILY (2004): Chinese Mine Accidents Provide Tragic Lessons. – *Mine Water Environ*, **23** (1): 54; Berlin.
- BEKESI, G., TYLER, M. & WATERHOUSE, J. (2012): Lessons from the Use of an Active Production Well for Compliance Monitoring in the Great Artesian Basin, Australia. – *Mine Water Environ*, **31** (3): 225–232, 8 fig.; Heidelberg.
- BERNARDEZ, L. A., DE ANDRADE LIMA, L. R. P., RAMOS, C. L. & ALMEIDA, P. F. (2012): A Kinetic Analysis of Microbial Sulfate Reduction in an Upflow Packed-Bed Anaerobic Bioreactor. – *Mine Water Environ*, **31** (1): 62–68, 7 fig., 1 tab.; Heidelberg.
- BHATTACHARYA, J., ISLAM, M. & CHEONG, Y.-W. (2006): Microbial Growth and Action: Implications for Passive Bioremediation of Acid Mine Drainage. – *Mine Water Environ*, **25** (4): 233–240, 2 fig., 1 tab.; Berlin.
- BHATTACHARYA, J., JI, S., LEE, H., CHEONG, Y., YIM, G., MIN, J. & CHOI, Y. (2008): Treatment of acidic coal mine drainage: design and operational challenges of successive alkalinity producing systems. – *Mine Water Environ*, **27** (1): 12–19, 5 fig., 2 tab.; Berlin.
- BISH, G. M. (1987): Laminar Flow through Unconsolidated Packer Beds of Spherical and Non-Spherical Material. – *Int. J. Mine Water*, **6** (3): 1–24a, 5 fig., 1 tab.; Budapest.
- BISH, M. G. (1986): Opencast Coal mining in South Wales. – *Int. J. Mine Water*, **5** (3): 1–12, 5 fig.; Madrid.
- BLESS, D., PARK, B., NORDWICK, S., ZALUSKI, M., JOYCE, H., HIEBERT, R. & CLAVELLOT, C. (2008): Operational Lessons Learned During Bioreactor Demonstrations for Acid Rock Drainage Treatment. – *Mine Water Environ*, **27** (4): 241–250, 8 fig., 5 tab.; Berlin.
- BOGNER, J. E. & DOEHLER, R. W. (1984): Ettringite Formation following Chemical Neutralization Treatment of Acidic Coal Mine Drainage. – *Int. J. Mine Water*, **3** (1): 13–24, 3 fig.; Granada.
- BOGUSH, A. A. & VORONIN, V. G. (2011): Application of a Peat-humic Agent for Treatment of Acid Mine Drainage. – *Mine Water Environ*, **30** (3): 185–190, 3 fig., 2 tab.; Berlin.
- BORGHETTI SOARES, A., DE OLIVEIRA UBALDO, M., DE SOUZA, V. P., MOREIRA SOARES, P. S., BARBOSA, M. C. & GONDIM MENDONÇA, R. M. (2009): Design of a Dry Cover Pilot Test for Acid Mine Drainage Abatement in Southern Brazil. I: Materials Characterization and Numerical Modeling. – *Mine Water Environ*, **28** (3): 219–231, 14 fig., 8 tab.; Heidelberg.
- BOSMAN, D. J., CLAYTON, J. A., MAREE, J. P. & ADLEM, C. J. L. (1990): Removal of Sulphate from Mine Water with Barium Sulphide. – *Int. J. Mine Water*, **9** (1–4): 149–163, 5 fig., 6 tab.; Castro Verde.



- BOTZ, M. K. & MASON, S. E. (1990): Prevention of Acid Drainage from Gold Mining in the Western United States and Impact on Water Quality. – *Int. J. Mine Water*, **9** (1–4): 27–41, 5 tab.; Castro Verde.
- BOUW, P. C. & MORTON, K. L. (1987): Calculation of Mine Water Inflow using Interactively a Groundwater Model and an Inflow Model. – *Int. J. Mine Water*, **6** (4): 31–50, 10 fig.; Nottingham.
- BOWELL, R. J. (2001): Hydrogeochemistry of the Getchell Underground Mine – Part 1: Mine Water Chemistry. – *Mine Water Environ*, **20** (2): 81–97, 10 fig., 7 tab.; Berlin.
- BOWELL, R. J. (2003): Pit Lake Systematics: A Special Issue. – *Mine Water Environ*, **22** (4): 167–169; Berlin.
- BRAWNER, C. O. (1982): Control of Ground Water in Surface Mining. – *Int. J. Mine Water*, **1** (1): 1–16, 11 fig.; Granada.
- BRIDGWOOD, E. W., SINGH, R. N. & ATKINS, A. S. (1983): Selection and Optimisation of Mine Pumping Systems. – *Int. J. Mine Water*, **2** (2): 1–19, 4 fig., 1 tab.; Granada.
- BROUYÈRE, S., ORBAN, P., WILDEMEERSCH, S., COUTURIER, J., GARDIN, N. & DASSARGUES, A. (2009): The Hybrid Finite Element Mixing Cell Method – A New Flexible Method for Modelling Mine Ground Water Problems. – *Mine Water Environ*, **28** (2): 102–114, 14 fig., 4 tab.; Heidelberg.
- BROWN, A. (2010): Reliable Mine Water Technology. – *Mine Water Environ*, **29** (2): 85–91, 1 fig.; Berlin.
- BUKOWSKI, P. (2011): Water Hazard Assessment in Active Shafts in Upper Silesian Coal Basin Mines. – *Mine Water Environ*, **30** (4): 302–311, 8 fig., 2 tab.; Berlin.
- BUKOWSKI, P., BROMEK, T. & AUGUSTYNIAK, I. (2006): Using the DRASTIC System to Assess the Vulnerability of Ground Water to Pollution in Mined Areas of the Upper Silesian Coal Basin. – *Mine Water Environ*, **25** (1): 15–22, 3 fig., 2 tab.; Berlin.
- CAIN, P., BROWN, J. D. & AMIRAULT, J. A. (1985): Stability Enhancement of coal Measures Strata with Water-Based Chemical Agents. – *Int. J. Mine Water*, **4** (4): 37–53, 1 fig., 1 tab.; Madrid.
- CAMERON, D., WILLETT, M. & HAMMER, L. (2006): Distribution of Organic Carbon in the Berkeley Pit Lake, Butte, Montana. – *Mine Water Environ*, **25** (2): 93–99, 1 fig., 3 tab.; Berlin.
- CANTY, G. A. & EVERETT, J. W. (2006): Injection of Fluidized Bed Combustion Ash into Mine Workings for Treatment of Acid Mine Drainage. – *Mine Water Environ*, **25** (1): 45–55, 6 fig., 1 tab.; Berlin.
- CARUSO, B. S. & BISHOP, M. (2009): Seasonal and Spatial Variation of Metal Loads from Natural Flows in the Upper Tenmile Creek Watershed, Montana. – *Mine Water Environ*, **28** (3): 166–181, 7 fig., 3 tab.; Heidelberg.
- CARUSO, B. S., MIRTSKHULAVA, M., WIREMAN, M., SCHROEDER, W., KORNILOVIC, B. & GRIFFIN, S. (2012): Effects of Manganese Mining on Water Quality in the Caucasus Mountains, Republic of Georgia. – *Mine Water Environ*, **31** (1): 16–28, 6 fig., 5 tab.; Heidelberg.
- CARVALHO, P., RICHARDS, D. G., FERNÁNDEZ-RUBIO, R. & NORTON, P. J. (1990): Prevention of Acid Mine Drainage at Neves-Corvaio Mine, Portugal. – *Int. J. Mine Water*, **9** (1–4): 71–84, 6 fig.; Castro Verde.





- CESAR TEIXEIRA, L. A., SANTOS DOS SANTOS, J., LEAL COSTA, V. S., YOKOYAMA, L. & MARQUEZ SARMIENTO, C. (2010): Preliminary Studies on Precipitating Manganese Using Caro's Acid and Hydrogen Peroxide. – *Mine Water Environ*, **29** (2): 154–157, 2 fig., 2 tab.; Berlin.
- CHALOV, P. I., NIFADIEV, V. I. & VASILIEV, I. A. (2001): Evaluating the Environmental Effects of Uranium Production at the Kara-Balty Mining Complex. – *Mine Water Environ*, **20** (4): 153–157, 6 fig.; Berlin.
- CHAMBERLAIN, V. E., WILLIAMS, R. E. & TOWATANA, P. (1995): Metal concentrations and concomitant Metal Mobility in unsaturated Mine and Mill Wastes. – *Mine Water Environ*, **14** (1–4): 23–37, 16 fig.; Wollongong.
- CHAMPAGNE, P., VAN GEEL, P. & PARKER, W. (2005): A Bench-scale Assessment of a Combined Passive System to Reduce Concentrations of Metals and Sulphate in Acid Mine Drainage. – *Mine Water Environ*, **24** (3): 124–133, 4 fig., 2 tab.; Berlin.
- CHAMPAGNE, P., VAN GEEL, P. & PARKER, W. (2008): Impact of Temperature and Loading on the Mitigation of AMD in Peat Biofilter Columns. – *Mine Water Environ*, **27** (4): 225–240, 8 fig., 3 tab.; Berlin.
- CHAROU, E., STEFOULI, M., DIMITRAKOPOULOS, D., VASILIOU, E. & MAVRANTZA, O. D. (2010): Using Remote Sensing to Assess Impact of Mining Activities on Land and Water Resources. – *Mine Water Environ*, **29** (1): 45–52, 8 fig., 1 tab.; Berlin.
- CHAULYA, S. K. (2003): Assessment and Management of Water Resources for a Lignite Mine. – *Mine Water Environ*, **22** (1): 45–51, 1 fig., 6 tab.; Berlin.
- CHEONG, Y. W., DAS, B. K., ROY, A. & BHATTACHARYA, J. (2010): Performance of a SAPS-Based Chemo-Bioreactor Treating Acid Mine Drainage Using Low-DOC Spent Mushroom Compost, and Limestone as Substrate. – *Mine Water Environ*, **29** (3): 217–224, 3 fig., 5 tab.; Berlin.
- CHILESHE, B. C. & KULKARNI, R. V. (1992): Konkola Deep Mining Project: Concept and Planning. – *Mine Water Environ*, **11** (3): 1–15, 4 fig.; Wollongong.
- CIDU, R. (2007): Influence of Past Mining on the Quality of Surface Waters at Funtana Raminosa (Sardinia). – *Mine Water Environ*, **26** (4): 199–208, 9 fig., 7 tab.; Berlin.
- CIDU, R., BIDDAU, R. & SPANO, T. (2005): Temporal Variations in Water Chemistry at Abandoned Underground Mines Hosted in a Carbonate Environment. – *Mine Water Environ*, **24** (2): 77–87, 8 fig., 4 tab.; Berlin.
- CIDU, R., BIDDAU, R. & NIEDDU, G. (2007): Rebound at Pb-Zn Mines Hosted in Carbonate Aquifers: Influence on the Chemistry of Ground Water. – *Mine Water Environ*, **26** (2): 88–101, 13 fig., 3 tab.; Berlin.
- CIDU, R., FRAU, F. & DA PELO, S. (2011): Drainage at Abandoned Mine Sites: Natural Attenuation of Contaminants in Different Seasons. – *Mine Water Environ*, **30** (2): 113–126, 9 fig., 3 tab.; Berlin.
- CONNELLY, R. J. & GIBSON, J. (1985): Dewatering of the Open Pits at Letlhakane and Orapa Diamond Mines, Botswana. – *Int. J. Mine Water*, **4** (3): 25–41, 5 fig., 2 tab.; Madrid.
- CONNELLY, R. J. & WARD, A. D. (1987): Optimising Dewatering Costs on a South African Gold Mine. – *Int. J. Mine Water*, **6** (2): 15–25, 6 fig., 1 tab.; Budapest.



- COOK, T., SKOUSEN, J. & HILTON, T. (2008): Covering Pre-existing, Acid-producing Fills with Alkaline Sandstone to Control Acid Mine Drainage. – *Mine Water Environ*, **27** (4): 259–264, 2 fig., 4 tab.; Berlin.
- COTE, C., MORAN, C. & HEDEMANN, C. (2007): Evaluating the Costs and Benefits of Salt Management Strategies at Mine Sites Using a Systems Model. – *Mine Water Environ*, **26** (4): 229–236, 9 fig., 2 tab.; Berlin.
- CRAVOTTA, C. (2007): Passive aerobic treatment of net-alkaline, iron-laden drainage from a flooded underground anthracite mine, Pennsylvania, USA. – *Mine Water Environ*, **26** (3): 128–149, 8 fig., 3 tab.; Berlin.
- CRAVOTTA, C. & WARD, S. (2008): Downflow Limestone Beds for Treatment of Net-Acidic, Oxidic, Iron-Laden Drainage from a Flooded Anthracite Mine, Pennsylvania, USA: 1. Field Evaluation. – *Mine Water Environ*, **27** (2): 67–85, 5 fig., 2 tab.; Berlin.
- CRAVOTTA, C., WARD, S. & HAMMARSTROM, J. (2008): Downflow Limestone Beds for Treatment of Net-Acidic, Oxidic, Iron-Laden Drainage from a Flooded Anthracite Mine, Pennsylvania, USA: 2. Laboratory Evaluation. – *Mine Water Environ*, **27** (2): 86–99, 3 fig., 3 tab.; Berlin.
- CRAVOTTA, C. A. I. (2010): Abandoned Mine Drainage in the Swatara Creek Basin, Southern Anthracite Coalfield, Pennsylvania, USA: 2. Performance of Treatment Systems. – *Mine Water Environ*, **29** (3): 200–216, 6 fig., 3 tab.; Berlin.
- CRAVOTTA, C. A. I., BRIGHTBILL, R. A. & LANGLAND, M. J. (2010): Abandoned Mine Drainage in the Swatara Creek Basin, Southern Anthracite Coalfield, Pennsylvania, USA: 1. Stream Water Quality Trends Coinciding with the Return of Fish. – *Mine Water Environ*, **29** (3): 176–199, 13 fig., 1 tab.; Berlin.
- CURTIS, G. P., KOHLER, M. & DAVIS, J. A. (2009): Comparing Approaches for Simulating the Reactive Transport of U(VI) in Ground Water. – *Mine Water Environ*, **28** (2): 84–93, 7 fig., 1 tab.; Heidelberg.
- DAMUCHALI, A. M., ASADOLLAHFARDI, G. & KHODADADI, A. (2012): Effective Parameter Predictions in Metals Transport from the Zanjan Zinc Mine Tailings using PHREEQC. – *Mine Water Environ*, **31** (4): 339–343, 9 fig., 3 tab.; Heidelberg.
- DAVIS, A. (2003): A Screening-Level Laboratory Method to Estimate Pit Lake Chemistry. – *Mine Water Environ*, **22** (4): 194–205, 9 fig., 6 tab.; Berlin.
- DAW, G. P. & POLLARD, C. A. (1986): Grouting for Ground Water Control in Underground Mining. – *Int. J. Mine Water*, **5** (4): 1–40, 16 fig., 5 tab.; Madrid.
- DE BEER, M., MATHEWS, E., KRUEGER, D., MAREE, J., MBHELE, N., PHALANNDWA, M. & NOVHE, O. (2008): Limestone Neutralisation of Arsenic-Rich Effluent from a Gold Mine. – *Mine Water Environ*, **27** (1): 46–51, 7 fig., 5 tab.; Berlin.
- DEÁK, G., MIHAI, S., DEÁK, S. E. & OANCEA, I. (2007): Addressing the Risk of Surface Water Intrusion in Old Romanian Salt Mines. – *Mine Water Environ*, **26** (4): 251–255, 8 fig., 1 tab.; Berlin.
- DEB, D., DESHPANDE, V. N. & DAS, K. C. (2008): Assessment of Water Quality around Surface Coal Mines using Principal Component Analysis and Fuzzy Reasoning Techniques. – *Mine Water Environ*, **27** (3): 183–193, 8 fig., 6 tab.; Berlin.
- DEMIN, O. A. & DUDENEY, A. W. L. (2003): Nitrification in Constructed Wetlands Treating Ochreous Mine Water. – *Mine Water Environ*, **22** (1): 15–21, 8 fig., 1 tab.; Berlin.



- DESA, T. C., BROWN, J. F. & BURGOS, W. D. (2010): Laboratory and Field-scale Evaluation of Low-pH Fe(II) Oxidation at Hughes Borehole, Portage, Pennsylvania. – *Mine Water Environ*, **29** (4): 239–247, 7 fig., 2 tab.; Berlin.
- DHAL, B., DAS, N. N., PANDEY, B. D. & THATOI, H. N. (2011): Environmental Quality of the Boula-Nuasahi Chromite Mine Area in India. – *Mine Water Environ*, **30** (3): 191–196, 1 fig., 5 tab.; Berlin.
- DIAZ GOEBES, M. & YOUNGER, P. L. (2004): A Simple Analytical Model for Interpretation of Tracer Tests in Two-Domain Subsurface Flow Systems. – *Mine Water Environ*, **23** (3): 138–143, 2 fig., 3 tab.; Berlin.
- DIETZ, H. K. O. (1982): Aspects of Advanced Grouting during Shaft Sinking in South Africa. – *Int. J. Mine Water*, **1** (2): 19–28, 7 fig., 2 tab.; Granada.
- DIETZ, S., LESSMANN, D. & BOEHRER, B. (2012): Contribution of Solutes to Density Stratification in a Meromictic Lake (Waldsee/Germany). – *Mine Water Environ*, **31** (2): 129–137, 6 fig., 3 tab.; Heidelberg.
- DIZ, H. R. (1998): The Selective Oxide System™: Acid Drainage Treatment that avoids the Formation of Sludge. – *Mine Water Environ*, **17** (1): 1–7, 3 fig.; Lakewood, CO.
- DIZ, H. R., NOVAK, J. T. & RIMSTIDT, J. D. (1999): Iron Precipitation Kinetics in Synthetic Acid Mine Drainage. – *Mine Water Environ*, **18** (1): 1–14, 6 fig., 3 tab.; Lakewood, CO.
- DOEPKER, R. D. (1991): The Interrelation of Factors Influencing the Dissolution Metals in Columns of Mine Tailings. – *Mine Water Environ*, **10** (1–4): 43–56, 1 fig., 5 tab.; Wollongong.
- DOEPKER, R. D. (1994): Column Leach Study III: Effect Sampling Location, Sampling Methods, and Chemical Abatement Treatments on the Dissolution of Metals in Gold-Copper Mine Tailings. – *Mine Water Environ*, **13** (1): 1–25, 11 fig., 4 tab.; Wollongong.
- DOEPKER, R. D. & DRAKE, P. L. (1991): Laboratory Study of Submerged Metal-Mine Tailings 1: Effect of Solid-Liquid Contact Time and Aeration on Contaminant Concentrations. – *Mine Water Environ*, **10** (1–4): 29–41, 1 fig., 6 tab.; Wollongong.
- DOEPKER, R. D. & O'CONNOR, W. K. (1991): Column Leach Study II: Heavy Metal Dissolution Characteristics from Selected Lead-Zinc Mine Tailings. – *Mine Water Environ*, **10** (1–4): 73–92, 9 tab.; Wollongong.
- DOEPKER, R. D. & O'CONNOR, W. K. (1991): Column Leach Study I: Heavy Metal Dissolution Characteristics from Selected Copper mine Tailings. – *Mine Water Environ*, **10** (1–4): 57–71, 9 tab.; Wollongong.
- DONG, D., SUN, W. & XI, S. (2012): Optimization of Mine Drainage Capacity Using FEFLOW for the No. 14 Coal Seam of China's Linnancang Coal Mine. – *Mine Water Environ*, **31** (4): 353–366, 12 fig., 4 tab.; Heidelberg.
- DONGLIN, D., WENJIE, S. & SHA, X. (2012): Water-inrush Assessment Using a GIS-based Bayesian Network for the 12–2 Coal Seam of the Kailuan Donghuantuo Coal Mine in China. – *Mine Water Environ*, **31** (2): 138–146, 6 fig., 5 tab.; Heidelberg.
- DOUGLAS, G. B., WENDLING, L. A., PLEYSIER, R. & TREFRY, M. G. (2010): Hydrotalcite Formation for Contaminant Removal from Ranger Mine Process Water. – *Mine Water Environ*, **29** (2): 108–115, 5 fig., 2 tab.; Berlin.





- DOUPÉ, R. G. & LYMBERY, A. J. (2005): Environmental Risks Associated with Beneficial End Uses of Mine Lakes in Southwestern Australia. – *Mine Water Environ*, **24** (3): 134–138, 1 tab.; Berlin.
- DOWLING, J., ATKIN, S., BEALE, G. & ALEXANDER, G. (2004): Development of the Sleeper Pit Lake. – *Mine Water Environ*, **23** (1): 2–11, 17 fig., 1 tab.; Berlin.
- DRURY, W. J. (2000): Modeling of Sulfate Reduction in Anaerobic Solid Substrate Bioreactors for Mine Drainage Treatment. – *Mine Water Environ*, **19** (1): 19–29, 3 fig.; Littleton, CO.
- DUARTE, J. C., ESTRADA, P., BEAUMONT, H., SITIMA, M. & PEREIRA, P. (1990): Biotreatment of Tailings for Metal recovery. – *Int. J. Mine Water*, **9** (1–4): 193–206, 4 fig., 3 tab.; Castro Verde.
- EDWARDS, M. G. & LLOYD, J. W. (1992): Pumping test data interpretation and drift inflow assessment by finite-difference radial modelling. – *Mine Water Environ*, **11** (1): 15–34, 9 fig.; Wollongong.
- EKBERG, C. (2002): Uncertainties Connected with Geochemical Modelling of Waste Disposal in Mines. – *Mine Water Environ*, **21** (1): 45–51, 4 fig., 5 tab.; Berlin.
- ERMITE CONSORTIUM, [EDS. YOUNGER, P. & WOLKERSDORFER, C. ]. (2004): Mining Impacts on the Fresh Water Environment: Technical and Managerial Guidelines for Catchment Scale Management. – *Mine Water Environ*, **23** (Supplement 1): S2-S80, 28 fig., 6 tab.; Berlin.
- EWERT, W. F., HEERTEN, G. & LERSOW, M. (2008): Using Geosynthetics for Safety Mine Closure, Closure of Mining and Milling Residues and for Groundwater Protection. – Proceedings, 10th International Mine Water Association Congress: 139–142; Karlovy Vary.
- EZEIGBO, H. I. & EZEANYIM, B. N. (1993): Environmental Pollution from Coal Mining Activities in the Enugu Area Anambka State Nigeria. – *Mine Water Environ*, **12** (1–4): 53–61, 3 fig., 2 tab.; Wollongong.
- FALA, O., MOLSON, J., AUBERTIN, M. & BUSSIÈRE, B. (2005): Numerical Modelling of Flow and Capillary Barrier Effects in Unsaturated Waste Rock Piles. – *Mine Water Environ*, **24** (4): 172–185, 15 fig., 3 tab.; Berlin.
- FARMER, I. W. & JENNINGS, D. H. (1983): Effect of Strata Permeability on the Radial Hydrostatic Pressures on Mine Shaft Linings. – *Int. J. Mine Water*, **2** (3): 17–24, 3 fig., 2 tab.; Granada.
- FAWCETT, R. J., HIBBERD, S. & SINGH, R. N. (1984): An Appraisal of Mathematical Models to predict Water Inflows into underground Coal Workings. – *Int. J. Mine Water*, **3** (2): 33–54, 5 fig.; Granada.
- FAWCETT, R. J., HIBBERD, S. & SINGH, R. N. (1986): Analytic Calculations of Hydraulic Conductivities above Longwall Coal Faces. – *Int. J. Mine Water*, **5** (1): 45–60, 6 fig., 1 tab.; Granada.
- FERNÁNDEZ-RUBIO, R. (1986): Water Problems in Spanish Coal Mining. – *Int. J. Mine Water*, **5** (3): 13–28, 6 fig., 5 tab.; Madrid.
- FERNÁNDEZ-RUBIO, R. (2001): Vladimir Straskraba's Contribution to the Mine Water Literature. – *Mine Water Environ*, **20** (2): 52–54; Berlin.



- FERNÁNDEZ-RUBIO, R. (2001): Vladimir Straskraba: 1934—2001. – *Mine Water Environ*, **20** (1): 39—40, 1 fig.; Berlin.
- FERNÁNDEZ-RUBIO, R. & CARVALHO, P. (1993): Surface Water Inflow Reduction at the Underground Neves-Corvo mine, Portugal. – *Mine Water Environ*, **12** (1—4): 11—20, 8 fig.; Wollongong.
- FERNÁNDEZ-RUBIO, R. & FERNANDEZ LORCA, D. (1993): Mine Water drainage. – *Mine Water Environ*, **12** (1—4): 107—130, 22 fig., 1 tab.; Wollongong.
- FERNÁNDEZ-RUBIO, R. & SINGH, R. N. (1983): Slope Stabilisation Using Advance Dewatering Techniques in a Large Opencast Mine in North-Western Spain. – *Int. J. Mine Water*, **2** (4): 35—51, 12 fig., 5 tab.; Granada.
- FERNÁNDEZ-RUBIO, R., BOTÍN, J. A. & LAVANDEIRA, A. (1983): Hydrogeological Investigation and Drainage Infrastructure at Underground Zinc and Lead Troya Mine (Gipuzkoa, Spain). – *Int. J. Mine Water*, **2** (3): 39—56, 20 fig.; Granda.
- FERNÁNDEZ-RUBIO, R., FERNÁNDEZ-LORCA, S. & ESTEBAN ARLEGUI, J. (1987): Preventive Techniques for Controlling Acid Water in Underground Mines by Flooding. – *Int. J. Mine Water*, **6** (3): 39—52, 11 fig.; Budapest.
- FLETCHER, T. (1992): Drilling Exploration Boreholes Beyond 4000 m in South Africa. – *Mine Water Environ*, **11** (4): 43—52, 3 fig.; Wollongong.
- FLORES, A. N. & SOLA, F. M. (2010): Evaluation of Metal Attenuation from Mine Tailings in SE Spain (Sierra Almagrera): A Soil-Leaching Column Study. – *Mine Water Environ*, **29** (1): 53—67, 12 fig., 9 tab.; Berlin.
- FONTAINE, R. C., DAVIS, A. & FENNEMORE, G. G. (2003): The Comprehensive Realistic Yearly Pit Transient Infilling Code (CRYPTIC): A Novel Pit Lake Analytical Solution. – *Mine Water Environ*, **22** (4): 187—193, 8 fig., 2 tab.; Berlin.
- FRANKIEWICZ, A. & PUCEK, T. R. (2006): Hydrogeological and Hydrochemical Characteristics of the Partially Flooded Piaseczno Opencast Sulphur Mine in Southeastern Poland. – *Mine Water Environ*, **25** (3): 153—162, 3 fig., 4 tab.; Berlin.
- FROMM, V. V. & KALASHNIKOV, G. V. (1982): Effect of mine water on Rock Deformation in Coal Mines. – *Int. J. Mine Water*, **1** (3): 43—49, 2 tab.; Granada.
- FROSTAD, S., KLEIN, B. & LAWRENCE, R. W. (2002): Evaluation of Laboratory Kinetic Test Methods for Measuring Rates of Weathering. – *Mine Water Environ*, **21** (4): 183—192, 4 fig., 6 tab.; Berlin.
- GAJOWIEC, B. & WITKOWSKI, A. (1993): Impact of Lead/Zinc Ore Mining on Groundwater Quality in Trzebionka Mine (Southern Poland). – *Mine Water Environ*, **12** (1—4): 1—9, 4 fig., 1 tab.; Wollongong.
- GAMMONS, C. H. (2006): Geochemistry of Perched Water in an Abandoned Underground Mine, Butte, Montana. – *Mine Water Environ*, **25** (2): 114—123, 4 fig., 2 tab.; Berlin.
- GAMMONS, C. H. & DUAIME, T. E. (2006): Long Term Changes in the Limnology and Geochemistry of the Berkeley Pit Lake, Butte, Montana. – *Mine Water Environ*, **25** (2): 76—85, 6 fig., 2 tab.; Berlin.
- GAMMONS, C. H. & MADISON, J. P. (2006): Contaminated Alluvial Ground Water in the Butte Summit Valley. – *Mine Water Environ*, **25** (2): 124—129, 4 fig., 2 tab.; Berlin.



- GAMMONS, C. H., MULHOLLAND, T. P. & FRANDBSEN, A. K. (2000): A comparison of filtered vs. unfiltered metal concentrations in treatment wetlands. – *Mine Water Environ*, **19** (2): 111–123, 4 fig., 3 tab.; Berlin.
- GAMMONS, C. H., POULSON, S. R., METESH, J. J., DUAIME, T. E. & HENNE, A. R. (2003): Geochemistry and Isotopic Composition of H<sub>2</sub>S-rich Water in Flooded Underground Mine Workings, Butte, Montana, USA. – *Mine Water Environ*, **22** (3): 141–148, 3 fig., 3 tab.; Berlin.
- GAMMONS, C. H., METESH, J. J. & DUAIME, T. E. (2006): An Overview of the Mining History and Geology of Butte, Montana. – *Mine Water Environ*, **25** (2): 70–75, 2 fig.; Berlin.
- GAMMONS, C. H., METESH, J. J. & SNYDER, D. M. (2006): A Survey of the Geochemistry of Flooded Mine Shaft Water in Butte, Montana. – *Mine Water Environ*, **25** (2): 100–107, 5 fig., 1 tab.; Berlin.
- GANDY, C. J. & YOUNGER, P. L. (2007): Predicting Groundwater Rebound in the South Yorkshire Coalfield, UK. – *Mine Water Environ*, **26** (2): 70–78, 8 fig., 5 tab.; Berlin.
- GANDY, C. J. & JARVIS, A. P. (2012): The Influence of Engineering Scale and Environmental Conditions on the Performance of Compost Bioreactors for the Remediation of Zinc in Mine Water Discharges. – *Mine Water Environ*, **31** (2): 82–91, 6 fig., 1 tab.; Heidelberg.
- GAUTAMA, R. S. & HARTAJI, S. (2004): Improving the Accuracy of Geochemical Rock Modelling for Acid Rock Drainage Prevention in Coal Mine. – *Mine Water Environ*, **23** (2): 100–104, 4 fig., 1 tab.; Berlin.
- GAZIZOV, M. S. (1983): Water Regime Control in Mines and Quarries in the USSR Coal Industry. – *Int. J. Mine Water*, **2** (1): 43–48; Granda.
- GENTY, T., BUSSIÈRE, B., BENZAAZOUA, M. & ZAGURY, G. J. (2012): Capacity of Wood Ash Filters to Remove Iron from Acid Mine Drainage – Assessment of Retention Mechanism. – *Mine Water Environ*, **31** (4): 273–286, 3 fig., 6 tab.; Heidelberg.
- GERTH, A., HEBNER, A., WILKEN & DIRK (2007): Constructed Wetland für eine Kupfermine in Chile. – *Wissenschaftliche Mitteilungen*, **35**: 77–78, 4 fig.; Freiberg.
- GILLESPIE, R. (1992): Gympie Gold Mine dewatering. – *Mine Water Environ*, **11** (1): 1–14, 2 fig., 4 tab.; Wollongong.
- GIRI, S., SINGH, G., GUPTA, S. K., JHA, V. N. & TRIPATHI, R. M. (2010): An Evaluation of Metal Contamination in Surface and Groundwater around a Proposed Uranium Mining Site, Jharkhand, India. – *Mine Water Environ*, **29** (3): 225–234, 7 fig., 7 tab.; Berlin.
- GNANDI, K., TCHANGBEDJI, G., KILLI, K., BABA, G. & SALIM, A. I. O. (2005): Processing of Phosphate Mine Tailings by Coagulation Flocculation to Reduce Marine Pollution in Togo: Laboratory Tests. – *Mine Water Environ*, **24** (4): 215–221, 7 fig., 5 tab.; Berlin.
- GNANDI, K., TCHANGBEDJI, G., KILLI, K., BABA, G. & ABBE, K. (2006): The Impact of Phosphate Mine Tailings on the Bioaccumulation of Heavy Metals in Marine Fish and Crustaceans from the Coastal Zone of Togo. – *Mine Water Environ*, **25** (1): 56–62, 2 fig., 5 tab.; Berlin.
- GNANDI, K., REZAIÉ BOROON, M. H. & EDORH, P. (2009): The Geochemical Characterization of Mine Effluents from the Phosphorite Processing Plant of Kpémé (Southern Togo). – *Mine Water Environ*, **28** (1): 65–73, 4 fig., 5 tab.; Berlin.



- GOLESTANIFAR, M. & AHANGARI, K. (2012): Choosing an Optimal Groundwater Lowering Technique for Open Pit Mines. – *Mine Water Environ*, **31** (3): 192–198, 2 fig., 5 tab.; Heidelberg.
- GOMES, C. J. B., MENDES, C. A. B. & COSTA, J. F. C. L. (2011): The Environmental Impact of Coal Mining: A Case Study in Brazil's Sangão Watershed. – *Mine Water Environ*, **30** (3): 159–168, 11 fig., 2 tab.; Berlin.
- GORSHKOV, V. A. & KHARIONOVSKY, A. A. (1982): Main Methods and Techniques of Mine Water Treatment in USSR. – *Int. J. Mine Water*, **1** (4): 27–33, 5 tab.; Granada.
- GREBEN, H. A. & MAREE, J. P. (2005): Removal of Sulphate, Metals, and Acidity from a Nickel and Copper Mine Effluent in a Laboratory Scale Bioreactor. – *Mine Water Environ*, **24** (4): 194–198, 2 fig., 3 tab.; Berlin.
- GUEDES DE CARVALHO, R. A., GONZÁLES BEÇA, C. G., MARTINS SAMPAIO, M. N., NEVES, O. & SOL PEREIRA, M. C. (1986): A Study of the Drainage of the Pyrite Mines of Aljustrel (Portugal). – *Int. J. Mine Water*, **5** (2): 43–55, 5 fig., 2 tab.; Granada.
- GUMBO, J. R. (2010): Evaluating the suitability of Paspalum as a candidate for Rehabilitation of Mine Tailings dams: A Case study of New Union Gold Mine. – In: WOLKERSDORFER, C. & FREUND, A.: *Mine Water and Innovative Thinking – International Mine Water Association Symposium*. – S. 583–587; Sydney, NS (Cape Breton University Press).
- GUPTA, R. N., MUKHERJEE, K. P. & SINGH, B. (1987): Design of Underground Artificial Dams for Mine Water Storage. – *Int. J. Mine Water*, **6** (2): 1–14, 4 fig.; Budapest.
- HAKKOU, R., BENZAAZOUA, M. & BUSSIÈRE, B. (2008): Acid Mine Drainage at the Abandoned Kettara Mine (Morocco): 2. Mine Waste Geochemical Behavior. – *Mine Water Environ*, **27** (3): 160–170, 6 fig., 4 tab.; Berlin.
- HAKKOU, R., BENZAAZOUA, M. & BUSSIÈRE, B. (2008): Acid Mine Drainage at the Abandoned Kettara Mine (Morocco): 1. Environmental Characterization. – *Mine Water Environ*, **27** (3): 145–159, 5 fig., 9 tab.; Berlin.
- HAKKOU, R., BENZAAZOUA, M. & BUSSIÈRE, B. (2009): Laboratory Evaluation of the Use of Alkaline Phosphate Wastes for the Control of Acidic Mine Drainage. – *Mine Water Environ*, **28** (3): 206–218, 10 fig., 5 tab.; Berlin.
- HALLBERG, K. B. & JOHNSON, D. B. (2005): Mine Water Microbiology. – *Mine Water Environ*, **24** (1): 28–32, 2 fig., 1 tab.; Berlin.
- HAMMACK, R. W., DE VEGT, A. L. & SCHOENEMAN, A. L. (1998): The Removal of Sulfate and Metals from Mine Waters using Bacterial Sulfate Reduction: Pilot Plant Results. – *Mine Water Environ*, **17** (1): 8–27, 7 fig., 5 tab.; Lakewood, CO.
- HAMMACK, R. W., LOVE, E. I., VELOSKI, G. A., ACKMAN, T. E. & HARBERT, W. (2003): Using Helicopter Electromagnetic Surveys to Identify Environmental Problems at Coal Mines. – *Mine Water Environ*, **22** (2): 80–84, 7 fig.; Berlin.
- HAMMACK, R. W., SAMS, J. I., VELOSKI, G. A. & MABIE, J. S. (2003): Geophysical Investigation of the Sulphur Bank Mercury Mine Superfund Site, Lake County, California. – *Mine Water Environ*, **22** (2): 69–79, 15 fig.; Berlin.
- HANCOCK, S. (1985): Discussion on Aquifer Restoration at Uranium in situ leach Sites by F. S. Anastasi and R. E. Williams. – *Int. J. Mine Water*, **4** (4): 55–56; Madrid.





- HANCOCK, S. (1985): Ventilation Shaft Water Inflow Control – Rossarden Tin Mine, Tasmania, Australia. – *Int. J. Mine Water*, **4** (4): 21–35, 4 fig., 1 tab.; Madrid.
- HANCOCK, S. & WOLKERSDORFER, C. (2012): Renewed Demands for Mine Water Management. – *Mine Water Environ*, **31** (2): 147–158, 5 fig., 1 tab.; Heidelberg.
- HARTWIG, T., OWOR, M., MUWANGA, A., ZACHMANN, D. & POHL, W. (2005): Lake George as a Sink for Contaminants Derived from the Kilembe Copper Mining Area, Western Uganda. – *Mine Water Environ*, **24** (3): 114–123, 3 fig., 7 tab.; Berlin.
- HAWKINS, J. & DUNN, M. (2007): Hydrologic Characteristics of a 35-Year-Old Underground Mine Pool. – *Mine Water Environ*, **26** (3): 150–159, 7 fig., 1 tab.; Berlin.
- HAWKINS, J. W. & ALJOE, W. W. (1992): Pseudokarst Groundwater Hydrologic Characteristics of a Mine Spoil Aquifer. – *Mine Water Environ*, **11** (2): 37–52, 11 fig., 1 tab.; Wollongong.
- HAWKINS, J. W. & SMOYER, J. J. (2011): Hydrologic Impacts of Multiple Seam Underground and Surface Mining – A Northern Appalachia Example. – *Mine Water Environ*, **30** (4): 263–273, 6 fig., 3 Anl.; Berlin.
- HE, K., WANG, R. & JIANG, W. (2012): Groundwater Inrush Channel Detection and Curtain Grouting of the Gaoyang Iron Ore Mine, China. – *Mine Water Environ*, **31** (4): 297–306, 8 fig., 2 tab.; Heidelberg.
- HEDIN, R., WEAVER, T., WOLFE, N. & WEAVER, K. (2010): Passive Treatment of Acidic Coal Mine Drainage: The Anna S Mine Passive Treatment Complex. – *Mine Water Environ*, **29** (3): 165–175, 6 fig., 9 tab.; Berlin.
- HEDIN, R. S. (2006): The Use of Measured and Calculated Acidity Values to Improve the Quality of Mine Drainage Datasets. – *Mine Water Environ*, **25** (3): 146–152, 2 fig., 1 tab.; Berlin.
- HEDIN, R. S. (2008): Iron Removal by a Passive System Treating Alkaline Coal Mine Drainage. – *Mine Water Environ*, **27** (4): 200–209, 5 fig., 6 tab.; Berlin.
- HEDIN, R. S., STAFFORD, S. L. & WEAVER, T. J. (2005): Acid Mine Drainage Flowing from Abandoned Gas Wells. – *Mine Water Environ*, **24** (2): 104–106, 1 fig., 2 tab.; Berlin.
- HEGEDUS-KONCZ, M., NANDORI, G. & GASPARI, L. (1992): Hydrogeological and geothermal changes in karstic reservoirs due to mine dewatering. – *Mine Water Environ*, **11** (1): 45–54, 6 fig.; Wollongong.
- HEIKKINEN, P. M., RÄISÄNEN, M. L. & JOHNSON, R. H. (2009): Geochemical Characterisation of Seepage and Drainage Water Quality from Two Sulphide Mine Tailings Impoundments: Acid Mine Drainage versus Neutral Mine Drainage. – *Mine Water Environ*, **28** (1): 30–49, 12 fig., 6 tab.; Heidelberg.
- HEINZ, W. F. (1988): Pre-Cementation of Deep Shaft. – *Int. J. Mine Water*, **7** (4): 1–12, 2 fig., 1 tab.; Nottingham.
- HELLIER, W. W. (1998): Abatement of Acid Mine Drainage by capping a reclaimed Surface Mine with fluidized Combustion Ash. – *Mine Water Environ*, **17** (1): 28–40, 13 fig., 3 tab.; Lakewood, CO.
- HELLING, C., NITZSCHE, O., ULLRICH, B. & MERKEL, B. J. (1998): The Influence of municipal Waste on Uranium Mill Tailings: A hydrogeochemical Study on a mixed Tailings Site. – *Mine Water Environ*, **17** (1): 41–51, 3 fig., 7 tab.; Lakewood, CO.



- HELLMANN, D.-H. & TAMS, D. (1986): Submersible Motor Pumps for Mine Drainage Applications. – *Int. J. Mine Water*, **5** (1): 33–44, 16 fig., 1 tab.; Granada.
- HENDERSON, R. M. & NORTON, P. J. (1984): A Method of Predicting the Pollution Potential of Surface Mining Backfill. – *Int. J. Mine Water*, **3** (1): 41–55, 7 fig., 3 tab.; Granada.
- HLABELA, P., MAREE, J. & BRUINSMA, D. (2007): Barium Carbonate Process for Sulphate and Metal Removal from Mine Water. – *Mine Water Environ*, **26** (1): 14–22, 11 fig., 4 tab.; Berlin.
- HOLTON, M. C. & STEPHENSON, D. (1983): A Computer Model of Circulating Service Water in South African Gold Mines. – *Int. J. Mine Water*, **2** (2): 33–42, 4 fig.; Granada.
- HUGHES, T. A. & GRAY, N. F. (2012): Acute and Chronic Toxicity of Acid Mine Drainage to the Activated Sludge Process. – *Mine Water Environ*, **31** (1): 40–52, 6 fig., 6 tab.; Heidelberg.
- HURST, S., SCHNEIDER, P. & MEINRATH, G. (2002): Remediating 700 years of Mining in Saxony: A Heritage from Ore Mining. – *Mine Water Environ*, **21** (1): 3–6, 1 fig.; Berlin.
- IDOWU, O., LORENTZ, S., ANNANDALE, J., MCCARTNEY, M. & JOVANOVIC, N. (2008): Assessment of the Impact of Irrigation with Low-quality Mine Water on Virgin and Rehabilitated Soils in the Upper Olifants Basin. – *Mine Water Environ*, **27** (1): 2–11, 10 fig., 5 tab.; Berlin.
- INDRANATNA, B., SULLIVAN, J. & NETHERY, A. (1995): Effect of Groundwater Table on the Formation of Acid Sulphate Soils. – *Mine Water Environ*, **14** (1–4): 71–83, 6 fig., 5 tab.; Wollongong.
- INDRANATNA, B. & SINGH, R. N. (1994): Distinct Element Analysis of Water Inflow to Underground Excavations. – *Mine Water Environ*, **13** (3–4): 11–24, 6 fig., 2 tab.; Wollongong.
- INTERNATIONAL MINE WATER ASSOCIATION (2003): International Mine Water Association (IMWA) – Statutes and By-Laws. – *Mine Water Environ*, **22** (4): 216–220; Berlin.
- IWANOFF, A. (1998): Environmental Impacts of deep opencast Limestone Mines in Lägerdorf, Northern Germany. – *Mine Water Environ*, **17** (1): 52–61, 2 fig., 2 tab.; Lakewood, CO.
- JACKSON, E. & WALTON, G. (1983): Note on a Possible Approach to the Assessment of Surface Water in Opencast Mines in the British Isles. – *Int. J. Mine Water*, **2** (1): 15–22, 3 fig.; Granada.
- JAMAL, A., DHAR, B. B. & RATAN, S. (1991): Acid Mine Drainage Control in an Opencast Coal Mine. – *Mine Water Environ*, **10** (1–4): 1–16, 7 fig., 4 tab.; Wollongong.
- JAMBRIK, R. J. (1994): Determination of Consolidation Characteristics of Rockmass on the Basis of Water Level and Surface Subsidence Observations. – *Mine Water Environ*, **13** (3–4): 25–34, 6 fig., 2 tab.; Wollongong.
- JAMBRIK, R. J. (1995): Environmental Effects of Closing a Hungarian Non-Ferrous Ore Mine. – *Mine Water Environ*, **14** (1–4): 1–12, 9 fig., 1 tab.; Wollongong.
- JAMBRIK, R. J. (1995): Analysis of Water Level and Land Subsidence Data from Thorez Open-Pit Mine, Hungary. – *Mine Water Environ*, **14** (1–4): 13–22, 7 fig., 1 tab.; Wollongong.



- JAMBRIK, R. J. & BARTHA, M. (1994): Groundwater Quality Affected by Mining in the East Borsod Brown Coal Basin, Hungary. – *Mine Water Environ*, **13** (3–4): 49–57, 6 fig., 1 tab.; Wollongong.
- JANIAK, H. (1992): Mine drainage treatment in Polish lignite mining. – *Mine Water Environ*, **11** (1): 35–44, 1 fig., 3 tab.; Wollongong.
- JANSON, E., GZYL, G. & BANKS, D. (2009): The Occurrence and Quality of Mine Water in the Upper Silesian Coal Basin, Poland. – *Mine Water Environ*, **28** (3): 232–244, 8 fig., 3 tab.; Heidelberg.
- JIN, S., FALLGREN, P., MORRIS, J. & GOSSARD, R. (2008): Biological Source Treatment of Acid Mine Drainage Using Microbial and Substrate Amendments: Microcosm Studies. – *Mine Water Environ*, **27** (1): 20–30, 7 fig., 3 tab.; Berlin.
- JIRIES, A., EL-HASAN, T., AL-HWEITI, M. & SEILER, K.-P. (2004): Evaluation of the Effluent Water Quality Produced at Phosphate Mines in Central Jordan. – *Mine Water Environ*, **23** (3): 133–137, 4 fig., 4 tab.; Berlin.
- JONES, C. I. & SILVA, M. F. (1990): The Treatment and Removal of Mine Water at Neves Corvo Mine. – *Int. J. Mine Water*, **9** (1–4): 165–178, 4 fig., 4 tab.; Castro Verde.
- JOVANOVIĆ, N. Z., ANNANDALE, J. G., CLAASSENS, A. S., LORENTZ, S. A. & TANNER, P. D. (2001): Modeling irrigation with gypsiferous Mine Water – a case study in Botswana. – *Mine Water Environ*, **20** (2): 65–72, 2 fig., 4 tab.; Berlin.
- KADEN, S., LUCKNER, L., PEUKERT, D. & TIEMER, K. (1985): Decision Support Model Systems for Regional Water Policies in Open-Pit Lignite Mining Areas. – *Int. J. Mine Water*, **4** (1): 1–16, 4 fig.; Madrid.
- KARATHANASIS, A. D. & JOHNSON, C. M. (2003): Metal Removal Potential by Three Aquatic Plants in an Acid Mine Drainage Wetland. – *Mine Water Environ*, **22** (1): 22–30, 7 fig., 1 tab.; Berlin.
- KARATHANASIS, A. D., EDWARDS, J. D. & BARTON, C. D. (2010): Manganese and Sulfate Removal from a Synthetic Mine Drainage Through Pilot Scale Bioreactor Batch Experiments. – *Mine Water Environ*, **29** (2): 144–153, 5 fig., 2 tab.; Berlin.
- KECOJEVIĆ, V. J., MRUGALA, M. J., SIMIĆ, R. D. & STANKOVIĆ, R. M. (2003): A Computer-Aided System for Design of Drainage Facilities in Surface Mining. – *Mine Water Environ*, **22** (3): 149–154, 10 fig.; Berlin.
- KEET, B. (1982): Statistical Hydrogeochemistry as a Tool to Facilitate the Control of Mine Water. – *Int. J. Mine Water*, **1** (3): 1–11, 4 fig., 3 tab.; Granada.
- KELLY, J., CHAMPAGNE, P. & MICHEL, F. (2007): Assessment of Metal Attenuation in a Natural Wetland System Impacted by Alkaline Mine Tailings, Cobalt, Ontario, Canada. – *Mine Water Environ*, **26** (3): 181–190, 2 fig., 5 tab.; Berlin.
- KEQIANG, H., WANCHENG, Y. & WENFU, J. (2011): Analysis of Groundwater Inrush Conditions and Critical Inspection Parameters at the Baixiangshan Iron Mine, China. – *Mine Water Environ*, **30** (4): 274–283, 7 fig., 2 tab.; Berlin.
- KESSERÜ, Z. (1984): Empirical and Theoretical Methods for Designing Soft Semi-impermeable Protective Barriers. – *Int. J. Mine Water*, **3** (2): 1–12, 6 fig.; Granada.
- KESSERÜ, Z., DUSZA, L., WIDDER, A. & MÁTÉ, C. K. (1987): Simultaneous Modeling of Rock Freezing and Water Seepage and its Practical Applications. – *Int. J. Mine Water*, **6** (1): 1–32, 17 fig., 1 tab.; Budapest.



- KHAN, R., ISRAILLI, S. H., AHMAD, H. & MOHAN, A. (2005): Heavy Metal Pollution Assessment in Surface Water Bodies and its Suitability for Irrigation around the Neyevli Lignite Mines and Associated Industrial Complex, Tamil Nadu, India. – *Mine Water Environ*, **24** (3): 155–161, 5 fig., 2 tab.; Berlin.
- KHODADAD, A., TEIMOURY, P., ABDOLAHI, M. & SAMIEE, A. (2008): Detoxification of Cyanide in a Gold Processing Plant Tailings Water Using Calcium and Sodium Hypochlorite. – *Mine Water Environ*, **27** (1): 52–55, 8 fig.; Berlin.
- KHORASANIPOUR, M., MOORE, F. & NASEH, R. (2011): Lime Treatment of Mine Drainage at the Sarcheshmeh Porphyry Copper Mine, Iran. – *Mine Water Environ*, **30** (3): 216–230, 7 fig., 6 tab.; Berlin.
- KHORASANIPOUR, M., TANGESTANI, M. H., NASEH, R. & HAJMOHAMMADI, H. (2012): Chemical Fractionation and Contamination Intensity of Trace Elements in Stream Sediments at the Sarcheshmeh Porphyry Copper Mine, SE Iran. – *Mine Water Environ*, **31** (3): 199–213, 3 fig., 7 tab.; Heidelberg.
- KIHLMAN, S. & KAUPPILA, T. (2010): Tracking the Aquatic Impacts of a Historical Metal Mine Using Lacustrine Protists and Diatom Algae. – *Mine Water Environ*, **29** (2): 116–134, 9 fig., 1 tab.; Berlin.
- KILL EAGLE, J. L., GAMMONS, C. H., WEIGHT, W. D., BABCOCK, J. N., JEPSON, W. & LANGNER, H. W. (2009): Results and Lessons Learned from a Continuous Injection Tracer Test in a Small Mountain Stream Receiving Acid Mine Drainage. – *Mine Water Environ*, **28** (3): 182–193, 10 fig., 1 tab., 1 Anh.; Heidelberg.
- KIMBALL, B., BIANCHI, F., WALTON-DAY, K., RUNKEL, R., NANNUCCI, M. & SALVADORI, A. (2007): Quantification of Changes in Metal Loading from Storm Runoff, Merse River (Tuscany, Italy). – *Mine Water Environ*, **26** (4): 209–216, 5 fig.; Berlin.
- KIMBALL, B. A. & RUNKEL, R. L. (2009): Spatially Detailed Quantification of Metal Loading for Decision Making: Metal Mass Loading to American Fork and Mary Ellen Gulch, Utah. – *Mine Water Environ*, **28** (4): 274–290, 9 fig., 4 tab.; Heidelberg.
- KINNEAR, W. J. (1988): High Reliability Multistage Mine Dewatering Pumpsets. – *Int. J. Mine Water*, **7** (2): 7–18, 5 fig.; Nottingham.
- KIPKO, B. J., POLOZOV, J. A. & SPICHAK, J. N. (1984): Hydrosealing and Consolidation of geological Faults during Tunnel Driving. – *Int. J. Mine Water*, **3** (3): 35–41, 3 fig., 1 tab.; Madrid.
- KIPKO, E. J. (1986): Water Control by integrated Grouting Method in Mining. – *Int. J. Mine Water*, **5** (4): 41–47, 1 tab.; Madrid.
- KIPKO, E. J. (1985): Grouting of Large Karstic Caverns in Dobrogea Coalfield, Bulgaria. – *Int. J. Mine Water*, **4** (2): 35–39, 1 fig., 2 tab.; Madrid.
- KIPKO, E. Y., POLOZOV, J. A. & LAGUNOV, V. A. (1984): Experience in Sealing Water Bearing Strata During Deep Shaft Sinking. – *Int. J. Mine Water*, **3** (4): 55–62, 3 fig., 2 tab.; Madrid.
- KIPKO, E. Y., SPICHAK, Y. N., POLOZOV, Y. A., KIPKO, A. E. & HEPNAR, P. (1993): Grouting of Old Flooded Workings at M. Mayerova Mine in Czechoslovakia. – *Mine Water Environ*, **12** (1–4): 21–26, 1 fig., 2 tab.; Wollongong.





- KIPKO, E. Y., POLOZOV, Y. A., ZABORA, V. V. & SMORONDIN, G. M. (1994): Groundwater Control in a Shaft Boring Operation. – *Mine Water Environ*, **13** (2): 27–31, 2 fig., 1 tab.; Wolongong.
- KLEIN, D. B. & NEUFELD, R. D. (2005): Use of a Multiple Orifice Spray Reactor to Accelerate Ferrous Iron Oxidation in Acidic Mine Water. – *Mine Water Environ*, **24** (4): 186–193, 4 fig., 2 tab.; Berlin.
- KLEINMANN, B. & WOLKERSDORFER, C. (2005): Mine Water and the Environment – Notes for Contributors. – *Mine Water Environ*, **24** (3): 162–165, 1 fig., 1 tab.; Berlin.
- KLEINMANN, R. L. P. (1990): At-Source Control of Acid Mine Drainage. – *Int. J. Mine Water*, **9** (1–4): 85–96, 1 fig.; Castro Verde.
- KLEINMANN, R. L. P. (1990): Acid Mine Water Treatment using Engineered Wetlands. – *Int. J. Mine Water*, **9** (1–4): 269–276; Castro Verde.
- KLOSE, C. (2007): Mine Water Discharge and Flooding: A Cause of Severe Earthquakes. – *Mine Water Environ*, **26** (3): 172–180, 7 fig., 1 tab.; Berlin.
- KOFFI, K., LEBLANC, M., JOURDE, H., CASIOT, C., PISTRE, S., GOUZE, P. & ELBAZ-POULICHET, F. (2003): Reverse Oxidation Zoning in Mine Tailings Generating Arsenic-rich Acidic Waters (Carnoulès, France). – *Mine Water Environ*, **22** (1): 7–14, 6 fig.; Berlin.
- KOHFAHL, C. & PEKDEGER, A. (2004): Modelling the Long-term Release of Sulphate from Dump Sediments of an Abandoned Open Pit Lignite Mine. – *Mine Water Environ*, **23** (1): 12–19, 13 fig., 1 tab.; Berlin.
- KOIDE, R., TOKORO, C., MURAKAMI, S., ADACHI, T. & TAKAHASHI, A. (2012): A Model for Prediction of Neutralizer Usage and Sludge Generation in the Treatment of Acid Mine Drainage from Abandoned Mines – Case Studies in Japan. – *Mine Water Environ*, **31** (4): 287–296, 8 fig., 5 tab.; Heidelberg.
- KORTAS, L. & YOUNGER, P. L. (2007): Using the GRAM Model to Reconstruct the Important Factors in Historic Groundwater Rebound in Part of the Durham Coalfield, UK. – *Mine Water Environ*, **26** (2): 60–69, 7 fig., 1 tab.; Berlin.
- KOSCHORRECK, M., HERZSPRUNG, P., WENDT-POTTHOFF, K., LORKE, A., GELLER, W., LUTHER, G., ELSNER, W. & MÜLLER, M. (2002): An In-lake Reactor to Treat an Acidic Lake: the Effect of Substrate Overdosage. – *Mine Water Environ*, **21** (3): 137–149, 10 fig., 3 tab.; Berlin.
- KOSHKOVSKY, G. N. & LEBEDYANSKAYA, Z. P. (1982): The State and Prospects of Hydrological Development of Hard Mineral Deposits in the USSR. – *Int. J. Mine Water*, **1** (4): 57–64; Granada.
- KRANZ, K. & DILLENARDT, J. (2010): Mine Water Utilization for Geothermal Purposes in Freiberg, Germany: Determination of Hydrogeological and Thermophysical Rock Parameters. – *Mine Water Environ*, **29** (1): 68–76, 5 fig., 4 tab.; Heidelberg.
- KROLL, A., AMEZAGA, J. M., YOUNGER, P. L. & WOLKERSDORFER, C. (2002): Regulation of Mine Waters in the European Union: Contribution of Scientific Research to Policy Development. – *Mine Water Environ*, **21** (4): 193–200, 1 tab.; Berlin.
- KRUSE, N. A., BOWMAN, J. R., MACKAY, A. L., MCCAMMENT, B. & JOHNSON, K. S. (2012): The Lasting Impacts of Offline Periods in Lime Dosed Streams – A Case Study in Raccoon Creek, Ohio. – *Mine Water Environ*, **31** (4): 266–272, 7 fig., 2 tab.; Heidelberg.



- KRUSE, N. A. S., GOZZARD, E. & JARVIS, A. P. (2009): Determination of Hydraulic Residence Times in Several UK Mine Water Treatment Systems and their Relationship to Iron Removal. – *Mine Water Environ*, **28** (2): 115–123, 2 fig., 3 tab.; Heidelberg.
- KUMA, J. S., YOUNGER, P. L. & BUAH, W. K. (2011): Numerical Indices of the Severity of Acidic Mine Drainage: Broadening the Applicability of the Gray Acid Mine Drainage Index. – *Mine Water Environ*, **30** (1): 67–74, 1 fig., 7 tab.; Berlin.
- KUMAR, R. N., MCCULLOUGH, C. D., LUND, M. A. & NEWPORT, M. (2011): Sourcing Organic Materials for Pit Lake Bioremediation in Remote Mining Regions. – *Mine Water Environ*, **30** (4): 296–301, 1 tab.; Berlin.
- KUMAR, V. R., SAHAY, S. N., PERIASAMY, N., PRASAD, S. S. & KARTHIKEYAN, S. (2010): Ground Water Basin Management at the Neyveli Lignite Mines. – *Mine Water Environ*, **29** (1): 23–28, 1 fig., 6 tab.; Berlin.
- KUŠÈER, D. (1991): Hydrological Regime of the Water Inrush into the Kotredéz Coal Mine (Slovenia, Yugoslavia). – *Mine Water Environ*, **10** (1–4): 93–101, 4 fig.; Wollongong.
- LAPOINTE, F., FYTAS, K. & MCCONCHIE, D. (2006): Efficiency of Bauxsol™ in Permeable Reactive Barriers to Treat Acid Rock Drainage. – *Mine Water Environ*, **25** (1): 37–44, 7 fig., 4 tab.; Berlin.
- LENGKE, M., DAVIS, A. & BUCKNAM, C. (2010): Improving Management of Potentially Acid Generating Waste Rock. – *Mine Water Environ*, **29** (1): 29–44, 9 fig., 6 tab.; Berlin.
- LENTER, C. M., McDONALD, L. M., SKOUSEN, J. G. J. & ZIEMKIEWICZ, P. F. (2002): The Effects of Sulfate on the Physical and Chemical Properties of Actively Treated Acid Mine Drainage Floc. – *Mine Water Environ*, **21** (3): 114–120, 3 fig., 3 tab.; Berlin.
- LGHOUL, M., TEIXIDÓ, T., PENA, J. A., HAKKOU, R., KCHIKACH, A., GUÉRIN, R., JAFFAL, M. & ZOUHRI, L. (2012): Electrical and Seismic Tomography Used to Image the Structure of a Tailings Pond at the Abandoned Kettara Mine, Morocco. – *Mine Water Environ*, **31** (1): 53–61, 4 fig.; Berlin.
- LIBICKI, J. (1982): Changes in the Groundwater due to Surface Mining. – *Int. J. Mine Water*, **1** (1): 25–30; Granada.
- LIN, M., SEED, L., CHESWORTH, W., FYFE, J., BROUSSEAU, R. & SHELP, G. (2001): Electrochemical Treatment of Pyrrhotite-rich Tailings – a Laboratory Study. – *Mine Water Environ*, **20** (1): 8–16, 6 fig., 1 tab.; Berlin.
- LINDOW, N. L. & BORDEN, R. C. (2005): Anaerobic Bioremediation of Acid Mine Drainage using Emulsified Soybean Oil. – *Mine Water Environ*, **24** (4): 199–208, 6 fig., 3 tab.; Berlin.
- LIU, C., PENG, B. & QIN, J. (2007): Geological Analysis and Numerical Modeling of Mine Discharges for the Sanshandao Gold Mine: 2. Simulation and Prediction of Mine Discharges. – *Mine Water Environ*, **26** (3): 166–171, 5 fig., 5 tab.; Berlin.
- LIU, C., PENG, B. & QIN, J. (2007): Geological Analysis and Numerical Modeling of Mine Discharges for the Sanshandao Gold Mine in Shandong, China: 1. Geological Analysis. – *Mine Water Environ*, **26** (3): 160–165, 4 fig., 1 tab.; Berlin.
- LLOYD, J. W. & EDWARDS, M. G. (1988): Estimation of Groundwater Inflow to an Underground Mining Operation. – *Int. J. Mine Water*, **7** (1): 25–47, 11 fig.; Nottingham.



- LLOYD, J. W., RUSHTON, K. R. & JONES, P. A. (1983): An Assessment of Groundwater Inflow into Proposed Shaft and Drift in the Warwickshire Coalfield Using Packer Test data in an Electrical Analogue Model. – *Int. J. Mine Water*, **2** (4): 1–18, 7 fig., 7 tab.; Granada.
- LOOP, C. M., SCHEETZ, B. E. & WHITE, W. B. (2003): Geochemical Evolution of a Surface Mine Lake with Alkaline Ash Addition: Field Observations vs. Laboratory Predictions. – *Mine Water Environ*, **22** (4): 206–213, 5 fig., 3 tab.; Berlin.
- LOVEDAY, P. F., ATKINS, A. S. & AZIZ, N. I. (1983): The Problem of Australian Underground Coal Mining Operations in Water Catchment Areas. – *Int. J. Mine Water*, **2** (3): 1–15, 5 fig., 1 tab.; Granada.
- LOVEDAY, P. F., ATKINS, A. S. & AZIZ, N. I. (1984): Reticulation of mine Service Water in two Australian Coal Mines. – *Int. J. Mine Water*, **3** (2): 13–25, 6 fig., 5 tab.; Granada.
- LUCKNER, L. (1983): Ground water and geotechnical problems. – *Int. J. Mine Water*, **2** (1): 31–41, 10 fig.; Granada.
- LUO, J., DIERSCH, H.-J. G. & MONNINKHOFF, L. M. M. (2012): 3D Modeling of Saline Groundwater Flow and Transport in a Flooded Salt Mine in Stassfurt, Germany. – *Mine Water Environ*, **31** (2): 104–111, 7 fig., 1 tab.; Heidelberg.
- LUO, Q., TSUKAMOTO, T., ZAMZOW, K. & MILLER, G. (2008): Arsenic, Selenium, and Sulfate Removal using an Ethanol-Enhanced Sulfate-Reducing Bioreactor. – *Mine Water Environ*, **27** (2): 100–108, 5 fig., 3 tab.; Berlin.
- LUSHNIKOVA, O. J. (1984): Estimation of Geometrical Parameters and the Quality of impermeous Grout during Grouting operations. – *Int. J. Mine Water*, **3** (2): 27–32, 5 fig.; Granada.
- MÄKINEN, J. & LERSSI, J. (2007): Characteristics and Seasonal Variation of Sediments in Lake Junttiselkä, Pyhäsalmi, Finland. – *Mine Water Environ*, **26** (4): 217–228, 10 fig., 5 tab.; Berlin.
- MALIVA, R. G., COULIBALY, K., GUO, W. & MISSIMER, T. M. (2010): Simulations of Impacts of Sand and Rock Mining on Florida Coastal Plain Water Resources. – *Mine Water Environ*, **29** (4): 294–300, 6 fig.; Berlin.
- MALLO, J. C., MARCO, S. G. D., BAZZINI, S. M. & RÍO, J. L. d. (2010): Aquaculture: an Alternative Option for the Rehabilitation of Old Mine Pits in the Pampasian Region, South-east of Buenos Aires, Argentina. – *Mine Water Environ*, **29** (4): 285–293, 2 fig., 3 tab.; Berlin.
- MANDZIC, E. H. (1992): Mine Water Risk in Open Pit Slope Stability. – *Mine Water Environ*, **11** (4): 35–42, 10 fig., 1 tab.; Wollongong.
- MARA, S., TANASESCU, M., OZUNU, A. & VLAD, S. (2007): Criteria for Identifying the Major Risks Associated with Tailings Ponds in Romania. – *Mine Water Environ*, **26** (4): 256–263, 6 fig., 3 tab.; Berlin.
- MAREE, J. P., BEER, M. d., STRYDOM, W. F., CHRISTIE, A. D. M. & WAANDERS, F. B. (2004): Neutralizing Coal Mine Effluent with Limestone to Decrease Metals and Sulphate Concentrations. – *Mine Water Environ*, **23** (2): 81–86, 3 fig., 6 tab.; Berlin.
- MAREE, J. P., STROBOS, G., GREBEN, H., NETSHIDAULU, E., STEYN, E., CHRISTIE, A., GÜNTHER, P. & WAANDERS, F. B. (2004): Treatment of Acid Leachate from Coal Discard using Calcium Carbonate and Biological Sulphate Removal. – *Mine Water Environ*, **23** (3): 144–151, 6 fig., 8 tab.; Berlin.



- MAREE, J. P., HAGGER, M. J., STROBOS, G., HLABELA, P., CRONJÉ, H., NIEKERK, A. v., WURSTER, A., NENGOVHELA, R. & WAANDERS, F. B. (2004): Design Criteria for Limestone Neutralization at a Nickel Mine. – *Mine Water Environ*, **23** (3): 152–156, 2 fig., 5 tab.; Berlin.
- MAREE, J. P., GÜNTHER, P., STROBOS, G. & WAANDERS, F. B. (2004): Optimizing the Effluent Treatment at a Coal Mine by Process Modelling. – *Mine Water Environ*, **23** (2): 87–90, 6 tab.; Berlin.
- MAREE, J. P., HLABELA, P., NENGOVHELA, R., GELDENHUYS, A. J., MBHELE, N., NEVHULAUDZI, T. & WAANDERS, F. B. (2004): Treatment of Mine Water for Sulphate and Metal Removal Using Barium Sulphide. – *Mine Water Environ*, **23** (4): 196–204, 7 fig., 10 tab.; Berlin.
- MARR, C. E. (1988): Pumps and Pumping, remote Operation and Monitoring. – *Int. J. Mine Water*, **7** (2): 33–46, 3 fig.; Nottingham.
- MASFERRER, J. A. R. (2002): Passive Treatment of Acid Mine Drainage at the La Extranjera Mine (Puertollano, Spain). – *Mine Water Environ*, **21** (3): 111–113, 3 fig.; Berlin.
- MCCULLOUGH, C., LUND, M. & MAY, J. (2008): Field-scale demonstration of the potential for sewage to remediate acidic mine waters. – *Mine Water Environ*, **27** (1): 31–39, 3 fig., 5 tab.; Berlin.
- MCCULLOUGH, C. D. & ETEN, E. J. B. v. (2011): Ecological Restoration of Novel Lake Districts: New Approaches for New Landscapes. – *Mine Water Environ*, **30** (4): 312–319, 3 fig., 1 tab.; Berlin.
- MCCULLOUGH, C. D. & LUND, M. A. (2006): Opportunities for Sustainable Mining Pit Lakes in Australia. – *Mine Water Environ*, **25** (4): 220–226, 2 fig., 1 tab.; Berlin.
- MCKEE, D. M. & HANNON, P. J. (1985): The Hydrological Environment at the Gays River Mine. – *Int. J. Mine Water*, **4** (2): 13–33, 8 fig.; Madrid.
- MCKENZIE, R. (2005): Software Update to Better Predict Costs of Treating Mine Drainage. – *Mine Water Environ*, **24** (4): 213–215; Berlin.
- MEINRATH, G. & MAY, P. M. (2002): Thermodynamic Prediction in the Mine Water Environment. – *Mine Water Environ*, **21** (1): 24–35, 4 fig., 3 tab.; Berlin.
- MELCHIORRE, E. (2011): Microbiological Evidence for the Origin of Acid Mine Drainage at the Green Valley Site, Vigo County, and Friar Tuck Site, Greene County, Indiana, USA. – *Mine Water Environ*, **30** (3): 175–184, 8 fig., 2 tab.; Berlin.
- MELCHIORRE, E., DALE, D., MILLS JR., J. & CHAPMAN, B. (2005): Geochemical and Stable Isotope Evidence for Precipitation and Groundwater Sourcing of Recharge at the Green Valley Site, Vigo County, Indiana. – *Mine Water Environ*, **24** (2): 88–100, 13 fig., 5 tab.; Berlin.
- MELE, L. M., PRODAN, P. F. & SCHUBERT, J. P. (1982): Characterisation of Runoff Water from Coalwaste Disposal Sites in South Western Illinois. – *Int. J. Mine Water*, **1** (2): 1–14, 4 fig., 2 tab.; Granada.
- MENEZES, J. C. S. S., SILVA, R. A., ARCE, I. S. & SCHNEIDER, I. A. H. (2009): Production of a Poly-ferric Sulphate Chemical Coagulant by Selective Precipitation of Iron from Acidic Coal Mine Drainage. – *Mine Water Environ*, **28** (4): 311–314, 1 fig., 4 tab.; Heidelberg.
- MERTEN, D., KOTHE, E. & BÜCHEL, G. (2004): Studies on Microbial Heavy Metal Retention from Uranium Mine Drainage Water with Special Emphasis on Rare Earth Elements. – *Mine Water Environ*, **23** (1): 34–43, 5 fig., 5 tab.; Berlin.






- METCALFE, B. (1990): Establishing Long-Term Vegetational Cover on Acidic Mining Waste Tips by Utilising Consolidated Sewage Sludges. – *Int. J. Mine Water*, **9** (1–4): 255–267, 4 fig., 2 tab.; Castro Verde.
- METESH, J. J. (2006): Using a Water Balance to Determine the Source of Water in the Flooding Underground Mine Workings of Butte. – *Mine Water Environ*, **25** (2): 108–113, 6 fig., 2 tab.; Berlin.
- METZLER, D. R., MARUTZKY, S. & JUHLIN, R. (2001): Concepts and Results in the Uranium Mill Tailings Remedial Action Ground Water Project. – *Mine Water Environ*, **20** (4): 168–177, 8 fig.; Berlin.
- MIELCAREK, W. (1988): Application of Deep Diaphragm Walls for Groundwater Control in Open cast Lignite Mining in the German Democratic Republic. – *Int. J. Mine Water*, **7** (3): 35–47, 9 fig.; Nottingham.
- MILHAM, L. & CRAW, D. (2009): Antimony Mobilization through Two Contrasting Gold Ore Processing Systems, New Zealand. – *Mine Water Environ*, **28** (2): 136–145, 8 fig., 1 tab.; Heidelberg.
- MILLER, D. & D'SOUZA, G. (2008): Using Aquaculture as a Post-mining Land Use in West Virginia. – *Mine Water Environ*, **27** (2): 122–126, 3 fig.; Berlin.
- MILLER, S. D., JEFFERY, J. J. & MURRAY, G. S. C. (1990): Identification and Management of Acid Generating Mine Wastes – Procedures and Practices in South-East Asia and the Pacific Regions. – *Int. J. Mine Water*, **9** (1–4): 57–67, 5 fig.; Castro Verde.
- MIRONENKO, V. A. & STRELSKY, F. (1993): Hydrogeomechanical Problems in Mining. – *Mine Water Environ*, **12** (1–4): 35–40; Wollongong.
- MODIS, K. & KOMNITSAS, K. (2007): Optimum Sampling Density for the Prediction of Acid Mine Drainage in an Underground Sulphide Mine. – *Mine Water Environ*, **26** (4): 237–242, 5 fig.; Berlin.
- MOORE, F. & AGHAZADEH, A. A. (2012): Trace Metal Occurrence and Mobility Assessment in Stream Sediments near the Sungun Porphyry Copper Deposit in Northwest Iran. – *Mine Water Environ*, **31** (1): 29–39, 5 fig., 4 tab.; Berlin.
- MORET, G. J. M. & ROSE, A. W. (2007): Resistivity Level Runs to Detect Water-filled Mine Voids between Drill Holes. – *Mine Water Environ*, **26** (1): 23–28, 6 fig.; Berlin.
- MORGENSTERN, P., FRIESE, K., WENDT-POTTHOFF, K. & WENNRICH, R. (2001): Bulk Chemistry Analysis of Sediments from Acid Mine Lakes by Means of Wavelength Dispersive X-ray Fluorescence. – *Mine Water Environ*, **20** (3): 105–113, 6 fig., 2 tab.; Berlin.
- MORTON, K. L. & MEKERK, F. A. v. (1993): A Phased Approach to Mine Dewatering. – *Mine Water Environ*, **12** (1–4): 27–33; Wollongong.
- MORTON, K. L. & NIEKERK, F. A. v. (1994): Mine Drainage Control and Environment Protection by using Grouting Technology and the Hydrogeological Approach. – *Mine Water Environ*, **13** (2): 41–43; Wollongong.
- MOTYKA, J. & PULIDO-BOSCH, A. (1985): Karstic Phenomena in Calcareous-Dolomitic Rocks and their Influence over the Inrushes of Water in Lead-Zinc Mines in Olkusz Region (South of Poand). – *Int. J. Mine Water*, **4** (2): 1–11, 10 fig.; Madrid.
- MUDD, G. M. (2008): Sustainability Reporting and Water Resources: a Preliminary Assessment of Embodied Water and Sustainable Mining. – *Mine Water Environ*, **27** (3): 136–144, 2 fig., 3 tab.; Berlin.



- MUELLER, R. F. (2001): Microbially Mediated Thallium Immobilization in Bench Scale Systems. – *Mine Water Environ*, **20** (1): 17–29, 5 fig., 8 tab.; Berlin.
- MUKHOPADHYAY, B., BASTIAS, L. & MUKHOPADHYAY, A. (2007): Limestone Drain Design Parameters for Acid Rock Drainage Mitigation. – *Mine Water Environ*, **26** (1): 29–45, 8 fig., 7 tab.; Berlin.
- MULENGA, S. C., FERNÁNDEZ-RUBIO, R., LEON, A. & BAQUERO, J. C. (1992): Estimation of Quantitative Water Inflow from Different Sources in Konkola Mine, Zambia. – *Mine Water Environ*, **11** (4): 1–22, 16 fig.; Wollongong.
- MUNRO, L. D., CLARK, M. W. & MCCONCHIE, D. (2004): A Bauxsol™-based Permeable Reactive Barrier for the Treatment of Acid Rock Drainage. – *Mine Water Environ*, **23** (4): 183–194, 6 fig., 4 tab.; Berlin.
- MUYUNDA, C. & MWALE, F. (1994): Electrical energy Usage at Konkola Division, Zambian Copper Belt. – *Mine Water Environ*, **13** (2): 33–39, 7 fig.; Wollongong.
- NAGORSKI, S. A., MOORE, J. N. & SMITH, D. B. (2002): Distribution of Metals in Water and Bed Sediment in a Mineral-Rich Watershed, Montana, USA. – *Mine Water Environ*, **21** (3): 121–136, 5 fig., 2 tab.; Berlin.
- NAIRN, R. W. & MERCER, M. N. (2000): Alkalinity generation and metals retention in a successive alkalinity producing system. – *Mine Water Environ*, **19** (2): 124–135, 3 fig., 2 tab.; Berlin.
- NAISH, E. J. (1992): Dewatering Concepts at Zambian Copperbelt Mines. – *Mine Water Environ*, **11** (3): 35–45, 2 fig., 1 tab.; Wollongong.
- NASAB, S. K., HOJAT, A., KAMKAR-ROUHANI, A., JAVAR, H. A. & MAKNOONI, S. (2011): Successful Use of Geoelectrical Surveys in Area 3 of the Gol-e-Gohar Iron Ore Mine, Iran. – *Mine Water Environ*, **30** (3): 208–215, 8 fig., 1 tab.; Berlin.
- NAURATH, L., WEIDNER, C., RÜDE, T. R. & BANNING, A. (2011): A New Approach to Quantify Na-Fluorescein (Uranine) in Acid Mine Waters. – *Mine Water Environ*, **30** (3): 231–236, 5 fig., 1 tab.; Berlin.
- NENGOVHELA, N. R., STRYDOM, C. A., MAREE, J. P. & GREBEN, H. A. (2004): Chemical and Biological Oxidation of Iron in Acid Mine Water. – *Mine Water Environ*, **23** (2): 76–80, 4 fig., 6 tab.; Berlin.
- NGAH, S. A., REED, S. M. & SINGH, R. N. (1984): Ground Water Problems in Surface Mining in the United Kingdom. – *Int. J. Mine Water*, **3** (1): 1–12, 5 fig., 1 tab.; Granada.
- NITZSCHE, O. & VERECKEN, H. (2002): Modeling Sorption and Exchange Processes in Column Experiments and Large Scale Field Studies. – *Mine Water Environ*, **21** (1): 15–23, 5 fig., 1 tab.; Berlin.
- NORTON, P. J. (1982): Groundwater Problems in Surface Coal Mining in Scotland. – *Int. J. Mine Water*, **1** (1): 17–24, 1 fig.; Granada.
- NORTON, P. J. (1992): The Control of Acid Mine Drainage with Wetlands. – *Mine Water Environ*, **11** (3): 27–34, 1 fig.; Wollongong.
- NOVÁK, J. (2001): Groundwater Remediation in the Stráz Leaching Operation. – *Mine Water Environ*, **20** (4): 158–167, 10 fig., 1 tab.; Berlin.
- NUNES, J. F., RICHARDS, D. G. & GAMA, H. A. (1990): Mine Water and Environmental Protection – The Somincor Case. – *Int. J. Mine Water*, **9** (1–4): 237–253, 5 fig., 2 tab.; Castro Verde.



- O'HARA, G. (2007): Water Management Aspects of the Britannia Mine Remediation Project, British Columbia, Canada. – *Mine Water Environ*, **26** (1): 46–54, 13 fig.; Berlin.
- ORUC, E., JAHIC, I. & BALTA, K. (1993): Construction and Production Features of Dewatering Wells in the „Kreka“ Lignite Basin. – *Mine Water Environ*, **12** (1–4): 41–51, 6 fig., 1 tab.; Wollongong.
- OSIENSKY, J. L. & WILLIAMS, R. E. (1995): Finite Difference Simulation of the Application of electrical Flow through conductive Contaminant Plumes. – *Mine Water Environ*, **14** (1–4): 39–56, 9 fig., 1 tab.; Wollongong.
- OSIENSKY, J. L., WILLIAMS, R. E., RALSTON, D. R., JOHNSON, G. S. & MINK, L. L. (1998): Simulation of electrical Potential Differences near a contaminant Plume excited by a Point Source of Current. – *Mine Water Environ*, **17** (1): 62–71; Lakewood, CO.
- OSIENSKY, J. L., WILLIAMS, R. E., RALSTON, D. R., JOHNSON, G. S. & MINK, L. L. (1999): Simulation of Electrical Potential Differences near a Contaminat Plume Excited by a Point Source of Current. – *Mine Water Environ*, **18** (1): 29–44, 11 fig.; Lakewood, CO.
- OSIENSKY, J. L., WILLIAMS, R. E., WILLIAMS, B. & JOHNSON, G. (2000): Evaluation of Draw-down Curves Derived from Multiple Well Aquifer Tests in Heterogenous Environments. – *Mine Water Environ*, **19** (1): 30–55, 14 fig.; Littleton, CO.
- O'SULLIVAN, A. D., MURRAY, D. A. & OTTE, M. L. (2004): Removal of Sulfate, Zinc, and Lead from Alkaline Mine Wastewater Using Pilot-scale Surface-Flow Wetlands at Tara Mines, Ireland. – *Mine Water Environ*, **23** (2): 58–65, 3 fig., 1 tab.; Berlin.
- O'SULLIVAN, A. D., DIELS, L., GRMELA, A., RAPANTOVA, N., PFEIFER, H.-R., DOLD, B., MIDŽIC, S., SILAJDŽIC, I., PINTO, M. M. S. C. & SILVA, M. M. V. G. (2005): Contemporary Reviews of Mine Water Studies in Europe, Part 3. – *Mine Water Environ*, **24** (2): 58–76, 8 fig., 5 tab.; Berlin.
- OTHMANI, M. A., SOUISSI, F., BENZAAZOUA, M., BOUZAHZAH, H., BUSSIÈRE, B. & MANSOURI, A. (2012): The Geochemical Behaviour of Mine Tailings from the Touiref Pb–Zn District in Tunisia in Weathering Cells Leaching Tests. – *Mine Water Environ*, **31** (4): 312–319, 12 fig., 4 tab.; Heidelberg.
- OYARZÚN, J., MATURANA, H., PAULO, A. & PASIECZNA, A. (2003): Heavy Metals in Stream Sediments from the Coquimbo Region (Chile): Effects of Sustained Mining and Natural Processes in a Semi-arid Andean Basin. – *Mine Water Environ*, **22** (3): 155–161, 3 fig., 2 tab.; Berlin.
- PAIKARAY, S. & PEIFFER, S. (2010): Dissolution Kinetics of Sulfate from Schwertmannite Under Variable pH Conditions. – *Mine Water Environ*, **29** (4): 263–269, 7 fig., 2 tab.; Berlin.
- PALMER, J. P. (1990): Reclamation and Decontamination of Metalliferous Mining Tailings. – *Int. J. Mine Water*, **9** (1–4): 223–235, 2 fig., 3 tab.; Castro Verde.
- PARSHLEY, J. V. & BOWELL, R. J. (2003): The Limnology of Summer Camp Pit Lake: A Case Study. – *Mine Water Environ*, **22** (4): 170–186, 15 fig., 2 tab.; Berlin.
- PARVIAINEN, A. (2009): Tailings Mineralogy and Geochemistry at the Abandoned Haveri Au–Cu Mine, SW Finland. – *Mine Water Environ*, **28** (4): 291–304, 6 fig., 3 tab.; Heidelberg.



- PATHAK, V. & BANERJEE, A. K. (1992): Mine Water Pollution Studies in Chapha Incline, Umaria Coalfield, Eastern Madhya Pradesh, India. – *Mine Water Environ*, **11** (2): 27–35, 3 fig., 4 tab.; Wollongong.
- PATTERSON, B. M., ROBERTSON, B. S., WOODBURY, R. J., TALBOT, B. & DAVIS, G. B. (2006): Long-term Evaluation of a Composite Cover Overlaying a Sulfidic Tailings Facility. – *Mine Water Environ*, **25** (3): 137–145, 9 fig., 1 tab.; Berlin.
- PEPLOW, D. & EDMONDS, R. (2006): Cell Pathology and Developmental Effects of Mine Waste Contamination on Invertebrates and Fish in the Methow River, Okanogan County, Washington (USA). – *Mine Water Environ*, **25** (4): 190–203, 6 fig., 2 tab.; Berlin.
- PETRITZ, K. M., GAMMONS, C. H. & NORDWICK, S. (2009): Evaluation of the potential for resource recovery from a flooded mine shaft in Butte, Montana. – *Mine Water Environ*, **28** (4): 264–273, 7 fig., 3 tab.; Berlin.
- PIGATI, E. & LÓPEZ, D. L. (1999): Effect of Subsidence on Recharge at Abandoned Coal Mines Generating Acid Drainage: the Majestic Mine, Athens County, Ohio. – *Mine Water Environ*, **18** (1): 45–66, 13 fig., 1 tab.; Lakewood, CO.
- PINTO, M. M. S. C., SILVA, M. M. V. G. & NEIVA, A. M. R. (2004): Pollution of Water and Stream Sediments Associated with the Vale De Abrutiga Uranium Mine, Central Portugal. – *Mine Water Environ*, **23** (2): 66–75, 3 fig., 5 tab.; Berlin.
- PLANTE, B., BENZAAZOUA, M. & BUSSIÈRE, B. (2011): Predicting Geochemical Behaviour of Waste Rock with Low Acid Generating Potential Using Laboratory Kinetic Tests. – *Mine Water Environ*, **30** (1): 2–21, 9 fig., 5 tab.; Berlin.
- PLANTE, B., BENZAAZOUA, M. & BUSSIÈRE, B. (2011): Kinetic Testing and Sorption Studies by Modified Weathering Cells to Characterize the Potential to Generate Contaminated Neutral Drainage. – *Mine Water Environ*, **30** (1): 22–37, 9 fig., 4 tab.; Berlin.
- POLOZOV, J. A. & POPOV, I. V. (1985): Grouting of Porous Aquifers During Shaft Sinking. – *Int. J. Mine Water*, **4** (1): 25–31, 3 fig., 1 tab.; Madrid.
- POLOZOV, J. A., SPICHAK, J. N. & LAGUNOV, V. A. (1985): Advanced Grouting of 960-m-Level Shaft Station in Nagolchanskaya Mine. – *Int. J. Mine Water*, **4** (1): 33–42, 5 fig.; Madrid.
- PRASAD, B. & MONDAL, K. (2008): The Impact of Filling an Abandoned Open Cast Mine with Fly Ash on Ground Water Quality: A Case Study. – *Mine Water Environ*, **27** (1): 40–45, 1 fig., 4 tab.; Berlin.
- PRASAD, B. & SANGITA, K. (2008): Heavy Metal Pollution Index of Ground Water of an Abandoned Open Cast Mine Filled with Fly Ash: a Case Study. – *Mine Water Environ*, **27** (4): 265–267, 2 tab.; Berlin.
- PRASAD, B., SANGITA, K. & TEWARY, B. K. (2011): Reducing the Hardness of Mine Water Using Transformed Fly Ash. – *Mine Water Environ*, **30** (1): 61–66, 3 fig., 5 tab.; Berlin.
- PUURA, E. & D'ALESSANDRO, M. (2005): A Classification System for Environmental Pressures Related to Mine Water Discharges. – *Mine Water Environ*, **24** (1): 43–52, 6 fig., 2 tab.; Berlin.
- QIANG, W., YUANZHANG, L. & LIU, Y. (2011): Using the Vulnerable Index Method to Assess the Likelihood of a Water Inrush through the Floor of a Multi-seam Coal Mine in China. – *Mine Water Environ*, **30** (1): 54–60, 8 fig., 3 tab.; Berlin.






- RAFAEL FERNÁNDEZ RUBIO (2012): Mining: The Challenge Knocks on our Door. – *Mine Water Environ*, **31** (1): 69–73, 3 fig.; Heidelberg.
- RAPANTOVA, N., GRMELA, A., VOJTEK, D., HALIR, J. & MICHALEK, B. (2007): Ground Water Flow Modelling Applications in Mining Hydrogeology. – *Mine Water Environ*, **26** (4): 264–270, 5 fig., 1 tab.; Berlin.
- RAPANTOVA, N., KRZESZOWSKI, S., GRMELA, A. & WOLKERSDORFER, C. (2012): Quantitative Assessment of Mine Water Sources Based on the General Mixing Equation and Multivariate Statistics. – *Mine Water Environ*, **31** (4): 252–265, 6 fig., 6 tab.; Heidelberg.
- RAWAT, N. S. & SINGH, G. (1982): The role of Micro-Organisms in the Formation of Acid Mine Drainage in the North Eastern Coal Field of India. – *Int. J. Mine Water*, **1** (2): 29–36, 4 fig., 3 tab.; Granada.
- RAY, D., CLARK, M. & PITMAN, T. (2009): Treatment of an Iron-rich ARD Using Waste Carbonate Rock: Bench-Scale Reactor Test Results. – *Mine Water Environ*, **28** (4): 253–263, 3 fig., 5 tab.; Berlin.
- RAYNE, S., FOREST, K. & FRIESEN, K. J. (2009): Analytical Framework for a Risk-based Estimation of Climate Change Effects on Mine Site Runoff Water Quality. – *Mine Water Environ*, **28** (2): 124–135, 2 fig., 4 tab.; Heidelberg.
- REAL, F. & FRANCO, A. (1990): Tailings Disposal at Neves-Corvo Mine, Portugal. – *Int. J. Mine Water*, **9** (1–4): 209–221, 4 fig., 4 tab.; Castro Verde.
- REDDISH, D. J. & SMITH, S. F. (1982): Underground Measurement of Fracture Permeability of Coal within a Shaft Pillar. – *Int. J. Mine Water*, **1** (3): 13–22, 9 fig., 1 tab.; Granada.
- REED, S. M. & SINGH, R. N. (1986): Groundwater Recovery Problems Associated with Opencast Mine Backfills in the United Kingdom. – *Int. J. Mine Water*, **5** (3): 47–73, 5 fig., 2 tab.; Madrid.
- REICHEL, F., LUCKNER, L. & KADEN, S. (1985): Estimation of the required Amount of Hydrological Exploration in Lignite Mining Areas on the Basis of Hypothetical Models. – *Int. J. Mine Water*, **4** (4): 1–20, 7 fig., 7 tab.; Madrid.
- RENZ, A., RÜHAAK, W., SCHÄTZL, P. & DIERSCH, H.-J. G. (2009): Numerical Modeling of Geothermal Use of Mine Water: Challenges and Examples. – *Mine Water Environ*, **28** (1): 2–14, 15 fig., 2 tab.; Heidelberg.
- RILEY, J. A., ERIKSON, D. L., RALSTON, D. R. & WILLIAMS, R. E. (1984): The Hydrogeology of an Underground Lead-Zinc Mine – Water Flow and Quality Characteristics. – *Int. J. Mine Water*, **3** (4): 39–53, 9 fig.; Madrid.
- RODRIGUES, G. G. & SCHARF, B. W. (2001): Review of Benthic Invertebrate Fauna in Extremely Acidic Environments (pH <= 3). – *Mine Water Environ*, **20** (3): 114–121, 1 fig., 2 tab.; Berlin.
- ROY, A., DAS, B. K. & BHATTACHARYA, J. (2011): Development and Validation of a Spectrophotometric Method to Measure Sulfate Concentrations in Mine Water without Interference. – *Mine Water Environ*, **30** (3): 169–174, 3 fig., 4 tab.; Berlin.
- ROYER, R. A. & UNZ, R. F. (1999): Manganese Oxide Reduction in Laboratory Microcosms. – *Mine Water Environ*, **18** (1): 15–28, 6 fig., 1 tab.; Lakewood, CO.
- ROYLE, M. (2007): Giant Mine: Identification of Inflow Water Types and Preliminary Geochemical Monitoring during Reflooding. – *Mine Water Environ*, **26** (2): 102–109, 3 fig., 4 tab.; Berlin.



- RÓZKOWSKI, A., CHMURA, A., GAJOWIEC, B. & WAGNER, J. (1993): Impact of Mining on the Groundwater Chemistry on the Upper Silesian Coal Basin (Poland). – *Mine Water Environ*, **12** (1–4): 95–105, 4 fig., 1 tab.; Wollongong.
- RUCKER, D. F., GLASER, D. R., OSBORNE, T. & MAEHL, W. C. (2009): Electrical Resistivity Characterization of a Reclaimed Gold Mine to Delineate Acid Rock Drainage Pathways. – *Mine Water Environ*, **28** (2): 146–157, 8 fig.; Heidelberg.
- SAHARAN, M. R., GUPTA, K. K., JAMAL, A. & SHEORAN, A. S. (1995): Management of Acidic Effluents from Tailing Dams in Metalliferous Mines. – *Mine Water Environ*, **14** (1–4): 85–93, 2 fig., 1 tab.; Wollongong.
- SAHOO, P. K., TRIPATHY, S., PANIGRAHI, M. K. & EQUENUDDIN, S. M. (2012): Mineralogy of Fe-Precipitates and Their Role in Metal Retention from an Acid Mine Drainage Site in India. – *Mine Water Environ*, **31** (4): 344–352, 6 fig., 3 tab.; Heidelberg.
- SAHU, P., LÓPEZ, D. L. & STOERTZ, M. W. (2009): Using Time Series Analysis of Coal Mine Hydrographs to Estimate Mine Storage, Retention Time, and Minepool Interconnection. – *Mine Water Environ*, **28** (3): 194–205, 10 fig., 2 tab.; Heidelberg.
- SAMMARCO, O. (1982): Flood detection in mines using gas concentration anomalies in the air ventilation system. – *Int. J. Mine Water*, **1** (2): 15–18, 2 fig.; Granada.
- SAMMARCO, O. (1986): Spontaneous Inrushes of Water in Underground Mines. – *Int. J. Mine Water*, **5** (2): 29–41, 6 fig.; Granada.
- SAMMARCO, O. (1988): Inrush Prevention in an Underground Mine. – *Int. J. Mine Water*, **7** (4): 43–52, 3 fig., 3 tab.; Nottingham.
- SAMMARCO, O. (1990): Abandoning Mines: Hydrodynamic Evolution Controlled in Order to avoid Surface Damage. – *Int. J. Mine Water*, **9** (1–4): 277–289, 4 fig.; Castro Verde.
- SAMMARCO, O. (1995): Storage of Water in the Void of abandoned Mines and in fractured Rocks. – *Mine Water Environ*, **14** (1–4): 57–70, 4 fig., 1 tab.; Wollongong.
- SAMMARCO, O. (1999): Impacts of Tailings Flow Slides. – *Mine Water Environ*, **18** (1): 75–80, 2 fig., 1 tab.; Lakewood, CO.
- SAMMARCO, O. (2004): A Tragic Disaster Caused by the Failure of Tailings Dams Leads to the Formation of the Stava 1985 Foundation. – *Mine Water Environ*, **23** (2): 91–95, 5 fig.; Berlin.
- SAMS, J. I. I. & VELOSKI, G. A. (2003): Evaluation of Airborne Thermal Infrared Imagery for Locating Mine Drainage Sites in the Lower Kettle Creek and Cooks Run Basins, Pennsylvania, USA. – *Mine Water Environ*, **22** (2): 85–93, 7 fig., 2 tab.; Berlin.
- SAMS, J. I. I., VELOSKI, G. A. & ACKMAN, T. E. (2003): Evaluation of Airborne Thermal Infrared Imagery for Locating Mine Drainage Sites in the Lower Youghiogheny River Basin, Pennsylvania, USA. – *Mine Water Environ*, **22** (2): 94–103, 10 fig., 2 tab.; Berlin.
- SÁNCHEZ-ESPAÑA, J., LÓPEZ-PAMO, E., DIEZ, M. & SANTOFIMIA, E. (2009): Physico-chemical gradients and meromictic stratification in Cueva de la Mora and other acidic pit lakes of the Iberian Pyrite Belt. – *Mine Water Environ*, **28** (1): 15–29, 12 fig., 1 tab.; Heidelberg.
- SAPSFORD, D., BARNES, A., DEY, M., WILLIAMS, K., JARVIS, A. & YOUNGER, P. (2007): Low Footprint Passive Mine Water Treatment: Field Demonstration and Application. – *Mine Water Environ*, **26** (4): 243–250, 4 fig., 3 tab.; Berlin.



- SCHMID, S. & WIEGAND, J. (2003): Radionuclide Contamination of Surface Waters, Sediments, and Soil Caused by Coal Mining Activities in the Ruhr District (Germany). – *Mine Water Environ*, **22** (3): 130–140, 10 fig., 5 tab.; Berlin.
- SCHMIEDER, A., ZÖLDFÖLDI, J., WOLKERSDORFER, C., KLEINMANN, B. & BALÁZS, K. (2002): Dr. Zsolt Kesserù (1934–2001). – *Mine Water Environ*, **21** (1): 52–53, 1 fig.; Berlin.
- SCHNEIDER, P., VOERKELIUS, S., NINDEL, K., FORSTER, M. & SCHREYER, J. (2001): Release of Contaminants from Uranium Mine Waste – Laboratory and Field Experiments. – *Mine Water Environ*, **20** (1): 30–38, 5 fig., 4 tab.; Berlin.
- SCHNEIDER, P., OSENBRÜCK, K., NEITZEL, P. L. & NINDEL, K. (2002): In-Situ Mitigation of Effluents from Acid Waste Rock Dumps Using Reactive Surface Barriers – a Feasibility Study. – *Mine Water Environ*, **21** (1): 36–44, 4 fig., 3 tab.; Berlin.
- SCHUBERT, M., MORGENSTERN, P., WENNRICH, R., FREYER, K. & WEISS, H. (2003): The Weathering Behavior of Heavy Metals in Ore Processing Residues (Mansfeld Region, Germany). – *Mine Water Environ*, **22** (1): 2–6, 3 fig., 4 tab.; Berlin.
- SENA, C. & MOLINERO, J. (2009): Water Resources Assessment and Hydrogeological Modelling as a Tool for the Feasibility Study of a Closure Plan for an Open Pit Mine (La Respina Mine, Spain). – *Mine Water Environ*, **28** (2): 94–101, 8 fig., 2 tab.; Heidelberg.
- SENKO, J. M., BERTEL, D., QUICK, T. J. & BURGOS, W. D. (2011): The Influence of Phototrophic Biomass on Fe and S Redox Cycling in an Acid Mine Drainage-Impacted System. – *Mine Water Environ*, **30** (1): 38–46, 6 fig., 2 tab.; Berlin.
- SHARMA, D. & MARAIS, P. (1986): A Comprehensive Mathematical Model to Predict Hydrodynamics and Mass Transport at a Complex Mine Tailings Disposal Facility. – *Int. J. Mine Water*, **5** (1): 1–19, 5 fig.; Granada.
- SHEIBACH, R. B., WILLIAMS, R. E. & GENES, B. R. (1982): Controlling Acid Mine Drainage from the Picher Mining District, Oklahoma, United States. – *Int. J. Mine Water*, **1** (1): 45–52, 3 fig.; Granada.
- SHELP, M. L., ZHAN, G. & UPTON, B. (2011): The Applications of Satellite Based Remote Sensing Techniques in the Hydrological Assessment of Mine Water Supply and Management Systems. – *Mine Water Environ*, **30** (4): 242–251, 10 fig.; Berlin.
- SHEORAN, A. S. (2005): Performance of a Natural Wetland Treating Acid Mine Drainage in Arid Conditions. – *Mine Water Environ*, **24** (3): 150–154, 2 fig., 5 tab.; Berlin.
- SHEORAN, A. S. (2006): Performance of Three Aquatic Plant Species in Bench-scale Acid Mine Drainage Wetland Test Cells. – *Mine Water Environ*, **25** (1): 23–36, 12 fig., 4 tab.; Berlin.
- SHEORAN, A. S. & BHANDARI, S. (2005): Treatment of Mine Water by a Microbial Mat: Bench-scale Experiments. – *Mine Water Environ*, **24** (1): 38–42, 6 tab.; Berlin.
- SHI, L. & SINGH, R. N. (2001): Study of Mine Water Inrush from Floor Strata through Faults. – *Mine Water Environ*, **20** (3): 140–147, 8 fig.; Berlin.
- SHUXUN, H., LING, W. & QINSHU, C. (1986): Application of Grouting Technique to Restore submerged Shafts in China. – *Int. J. Mine Water*, **5** (2): 57–66, 1 fig., 2 tab.; Granada.
- SIDDHARTH, S., JAMAL, A., DHAR, B. B. & SHUKLA, R. (2002): Acid-Base Accounting: A Geochemical Tool for Management of Acid Drainage in Coal Mines. – *Mine Water Environ*, **21** (3): 106–110, 1 fig., 5 tab.; Berlin.



- SIMMONS, J. A., LONG, J. M. & RAY, J. W. (2004): What Limits the Productivity of Acid Mine Drainage Treatment Ponds?. – *Mine Water Environ*, **23** (1): 44–53, 2 fig., 4 tab.; Berlin.
- SIMMONS, J. A., ANDREW, T., ARNOLD, A., BEE, N., BENNETT, J., GRUNDMAN, M., JOHNSON, K. & SHEPHERD, R. (2006): Small-Scale Chemical Changes Caused by In-stream Limestone Sand Additions to Streams. – *Mine Water Environ*, **25** (4): 241–245, 4 fig., 2 tab.; Berlin.
- SIMMONS, J., ZIEMKIEWICZ, P. & BLACK, D. C. (2002): Use of Steel Slag Leach Beds for the Treatment of Acid Mine Drainage. – *Mine Water Environ*, **21** (2): 91–99, 20 fig., 4 tab.; Berlin.
- SINGH, A. K., MAHATO, M. K., NEOGI, B. & SINGH, K. K. (2010): Quality Assessment of Mine Water in the Raniganj Coalfield Area, India. – *Mine Water Environ*, **29** (4): 248–262, 8 fig., 6 tab.; Berlin.
- SINGH, A. K., MAHATO, M. K., NEOGI, B., MONDAL, G. C. & SINGH, T. B. (2011): Hydrogeochemistry, Elemental Flux, and Quality Assessment of Mine Water in the Pootke-Balihari Mining Area, Jharia Coalfield, India. – *Mine Water Environ*, **30** (3): 197–207, 6 fig., 3 tab.; Berlin.
- SINGH, G. (1986): A Survey of Corrosivity of Underground Mine Waters from Indian Coal Mines. – *Int. J. Mine Water*, **5** (1): 21–32, 3 fig., 3 tab.; Granada.
- SINGH, G. (1987): Mine Water Quality Deterioration due to Acid Mine Drainage. – *Int. J. Mine Water*, **6** (1): 49–61, 1 fig., 4 tab.; Budapest.
- SINGH, G. (1988): Impact of coal mining on mine water quality. – *Int. J. Mine Water*, **7** (3): 49–59, 7 tab.; Nottingham.
- SINGH, G. & BHATNAGAR, M. (1988): Inhibition of Bacterial Activity in Acid Mine drainage. – *Int. J. Mine Water*, **7** (4): 13–25, 10 fig., 1 tab.; Nottingham.
- SINGH, G. & RAWAT, N. S. (1985): Removal of Trace Elements from Acid Mine Drainage. – *Int. J. Mine Water*, **4** (1): 17–23, 2 fig., 4 tab.; Madrid.
- SINGH, G., BHATNAGAR, M. & SINHA, D. K. (1990): Environmental Management of Acid Water Problems in Mining Areas. – *Int. J. Mine Water*, **9** (1–4): 113–131, 8 fig.; Castro Verde.
- SINGH, R. N. (1986): Mine Inundations. – *Int. J. Mine Water*, **5** (2): 1–27, 13 fig., 3 tab.; Granada.
- SINGH, R. N., HIBBERD, S. & FAWCETT, R. J. (1986): Studies in the Prediction of Water Inflows to Longwall Mine Workings. – *Int. J. Mine Water*, **5** (3): 29–45, 7 fig., 3 tab.; Madrid.
- SINGH, R. N. (1983): Conference Review – Hydrogeological Aspects of Mining. – *Int. J. Mine Water*, **2** (2): 31–32; Granada.
- SINGH, R. N. (1983): Mine Water Abstracts. – *Int. J. Mine Water*, **2** (2): 43–61; Granada.
- SINGH, R. N. & ATKINS, A. S. (1982): Design Considerations for Mine Workings Under Accumulation of Water. – *Int. J. Mine Water*, **1** (4): 35–56, 13 fig., 1 tab.; Granada.
- SINGH, R. N. & ATKINS, A. S. (1984): Application of Analytical Solution to Simulate some Mine Inflow Problems in Underground Coal Mining. – *Int. J. Mine Water*, **3** (4): 1–27, 8 fig., 15 tab., 1 Anh.; Madrid.





- SINGH, R. N. & JAKEMAN, M. (2001): Strata Monitoring Investigations Around Longwall Panels Beneath the Cataract Reservoir. – *Mine Water Environ*, **20** (2): 55–64, 5 fig.; Berlin.
- SINGH, R. N. & REED, S. M. (1988): Mathematical Modelling for Estimation of Minewater Inflow to a Surface Mining Operation. – *Int. J. Mine Water*, **7** (3): 1–33, 10 fig., 3 tab.; Nottingham.
- SINGH, R. N., SIVAKUMAR, M. & ATKINS, A. S. (1995): Application of executive Information System to Mine Site Water Pollution Control. – *Mine Water Environ*, **14** (1–4): 95–105, 1 fig., 1 tab.; Wollongong.
- SINGH, T. N. & SINGH, B. (1985): Model Simulation Study of Coal Mining Under River Beds in India. – *Int. J. Mine Water*, **4** (3): 1–9, 5 fig., 3 tab.; Madrid.
- SINGH, T. N., SINGH, V. K. & SINHA, S. (2006): Prediction of Cadmium Removal Using an Artificial Neural Network and a Neuro-Fuzzy Technique. – *Mine Water Environ*, **25** (4): 214–219, 6 fig., 1 tab.; Berlin.
- SIVAKUMAR, M., SINGH, R. N. & MORTON, S. G. S. (1992): Mine Water Effluent Quality in the Illawarra Region. – *Mine Water Environ*, **11** (2): 1–10, 5 fig., 2 tab.; Wollongong.
- SIVAKUMAR, M., SINGH, R. N. & MORTON, S. G. S. (1994): Mine Water Management and Controls in an Environmentally Sensitive Region. – *Mine Water Environ*, **13** (1): 27–39, 4 fig., 2 tab.; Wollongong.
- SLOOT, H. A. v. d. & ZOMEREN, A. v. (2012): Characterisation Leaching Tests and Associated Geochemical Speciation Modelling to Assess Long Term Release Behaviour from Extractive Wastes. – *Mine Water Environ*, **31** (2): 92–103, 7 fig., 3 tab.; Heidelberg.
- SOARES, A. B., POSSA, M. V., SOUZA, V. P. d., SOARES, P. S. M., BARBOSA, M. C., UBALDO, M. d. O., BERTOLINO, A. V. F. A. & BORMA, L. S. (2010): Design of a Dry Cover Pilot Test for Acid Mine Drainage Abatement in Southern Brazil, Part II: Pilot Unit Construction and Initial Monitoring. – *Mine Water Environ*, **29** (4): 277–284, 9 fig., 2 tab.; Berlin.
- SOBEK, A. A., RASTOGI, V. & BENEDETTI, D. A. (1990): Prevention of Water Pollution Problems in Mining: The Bactericide Technology. – *Int. J. Mine Water*, **9** (1–4): 133–148, 9 fig., 6 tab.; Castro Verde.
- SONI, A. K. (2007): Evaluation of Hydrogeological Parameters Associated with Limestone Mining: A Case Study from Chandrapur, India. – *Mine Water Environ*, **26** (2): 110–118, 3 fig., 4 tab.; Berlin.
- STEPHENSON, D. (1983): Distribution of Water in Gold Mines in South Africa. – *Int. J. Mine Water*, **2** (2): 21–30, 2 fig.; Granada.
- STOERTZ, M. W., BOURNE, H., KNOTTS, C. & WHITE, M. M. (2002): The Effects of Isolation and Acid Mine Drainage on Fish and Macroinvertebrate Communities of Monday Creek, Ohio, USA. – *Mine Water Environ*, **21** (2): 60–72, 2 fig., 5 tab.; Berlin.
- STRASKRABA, V. (1984): Ground Water as a Nuisance. – *Int. J. Mine Water*, **3** (1): 25–40, 7 fig.; Granada.
- STRASKRABA, V. (1986): Ground Water Recovery Problems Associated with Open Pit reclamation on the Western U.S.A.. – *Int. J. Mine Water*, **5** (4): 49–56; Madrid.
- STRASKRABA, V. & ABEL, J. F. j. (1994): The Differences in Underground Mines Dewatering with the Application of Caving or Backfilling Mining Methods. – *Mine Water Environ*, **13** (2): 1–19, 3 fig., 3 tab.; Wollongong.



- STRASKRABA, V. & MORAN, R. E. (1990): Environmental Occurrence and Impacts of Arsenic at Gold Mining Sites in the Western United States. – *Int. J. Mine Water*, **9** (1–4): 181–191, 2 fig., 1 tab.; Castro Verde.
- STROSNIER, W. H., WINFREY, B. K. & NAIRN, R. W. (2011): Alkalinity Generation in a Novel Multi-stage High-strength Acid Mine Drainage and Municipal Wastewater Passive Co-treatment System. – *Mine Water Environ*, **30** (1): 47–53, 2 fig., 2 tab.; Berlin.
- STRUZINA, M., MÜLLER, M., DREBENSTEDT, C., MANSEL, H. & JOLAS, P. (2011): Dewatering of Multi-aquifer Unconsolidated Rock Opencast Mines: Alternative Solutions with Horizontal Wells. – *Mine Water Environ*, **30** (2): 90–104, 16 fig., 2 tab.; Berlin.
- SUN, W., WU, Q., DONG, D. & JIAO, J. (2012): Avoiding Coal-Water Conflicts During the Development of China's Large Coal-Producing Regions. – *Mine Water Environ*, **31** (1): 74–78, 2 fig., 1 tab.; Heidelberg.
- SURESH, S., DINAKAR, N., PRASAD, T. N. V. K. V., NAGAJYOTHI, P. C., DAMODHARAM, T. & NAGARAJU, A. (2007): Effects of a Barite Mine on Ground Water Quality in Andhra Pradesh, India. – *Mine Water Environ*, **26** (2): 119–123, 2 tab.; Berlin.
- TAYLOR, J. & WARING, C. (2001): The Passive Prevention of ARD in Underground Mines by Displacement of Air with a Reducing Gas Mixture: GaRDS. – *Mine Water Environ*, **20** (1): 2–7, 1 fig.; Berlin.
- TEREZOPOULOS, N. G. & SINGH, R. N. (1987): Ground Water Control by Grouting in Tunnels for a Pumped Storage Scheme. – *Int. J. Mine Water*, **6** (1): 33–48, 10 fig., 2 tab.; Budapest.
- TESARIK, D. R. & KEALY, C. D. (1984): Estimating Horizontal Drain Design by the Finite-Element and Finite-Difference Methods. – *Int. J. Mine Water*, **3** (3): 1–18, 20 fig., 2 tab.; Madrid.
- TIWARY, R. K. & DHAR, B. B. (1994): Environmental Pollution from Coal Mining Activities in Damodar River Basin, India. – *Mine Water Environ*, **13** (3–4): 1–9, 2 fig., 2 tab.; Wolongong.
- TOTSCHKE, O., FYSON, A. & STEINBERG, C. E. W. (2006): Microbial Alkalinity Production to Prevent Reacidification of Neutralized Mining Lakes. – *Mine Water Environ*, **25** (4): 204–213, 4 fig., 3 tab.; Berlin.
- TRISASONGKO, B., LEES, B. & PAULL, D. (2006): Polarimetric Classification in a Tailings Deposition Area at the Timika Mine Site, Indonesia. – *Mine Water Environ*, **25** (4): 246–250, 2 fig., 1 tab.; Berlin.
- TWIDWELL, L. G., GAMMONS, C. H., YOUNG, C. A. & BERG, R. B. (2006): Summary of Deep-water Sediment/Pore Water Characterization for the Metal-laden Berkeley Pit Lake in Butte, Montana. – *Mine Water Environ*, **25** (2): 86–92, 3 fig., 4 tab.; Berlin.
- UHLÍK, J. & BAIER, J. (2012): Model Evaluation of Thermal Energy Potential of Hydrogeological Structures with Flooded Mines. – *Mine Water Environ*, **31** (3): 179–191, 14 fig., 3 tab.; Heidelberg.
- UHLMANN, W., BÜTTCHER, H., TOTSCHKE, O. & STEINBERG, C. E. W. (2004): Buffering of Acidic Mine Lakes: The Relevance of Surface Exchange and Solid-Bound Sulphate. – *Mine Water Environ*, **23** (1): 20–27, 7 fig., 4 tab.; Berlin.
- ULRICH, K.-U., BETHGE, C., GUDERITZ, I., HEINRICH, B., NEUMANN, V., NITSCHKE, C. & BENTHAUS, F.-C. (2012): In-Lake Neutralization: Quantification and Prognoses of the Acid Load in-



- to a Conditioned Pit Lake (Lake Bockwitz, Central Germany). – *Mine Water Environ*, **31** (4): 320–338, 7 fig., 6 tab.; Heidelberg.
- VAHT, R., MAYES, W. & LUUD, A. (2011): Impact of Oil Shale Mining on Flow Regimes in Northeast Estonia. – *Mine Water Environ*, **30** (4): 284–295, 8 fig., 3 tab.; Berlin.
- VALIENTE, M., DIEZ, S., MASANTA, A., FRIAS, C. & MUHAMMED, M. (1991): Separation of Copper and Zinc from Waste Acid Mine Effluents of Rio Tinto Area. – *Mine Water Environ*, **10** (1–4): 17–27, 13 fig., 1 tab.; Wollongong.
- VAN TONDER, G. J., USHER, B. H., DENNIS, I. & VERMEULEN, P. D. (2007): Predicting Rebound in a Deep Colliery in South Africa. – *Mine Water Environ*, **26** (2): 79–87, 12 fig., 3 tab.; Berlin.
- VARNELL, C. J., BRAHANA, J. V. & STEELE, K. (2004): The Influence of Coal Quality Variation on Utilization of Water from Abandoned Coal Mines as a Municipal Water Source. – *Mine Water Environ*, **23** (4): 205–209, 3 fig.; Berlin.
- VAZQUEZ, O., PU, X., MONNELL, J. D. & NEUFELD, R. D. (2010): Release of Aluminum from Clays in an Acid Rock Drainage Environment. – *Mine Water Environ*, **29** (4): 270–276, 2 fig., 4 tab.; Berlin.
- VERBURG, R., BEZUIDENHOUT, N., CHATWIN, T. & FERGUSON, K. (2009): The Global Acid Rock Drainage Guide (GARD Guide). – *Mine Water Environ*, **28** (4): 305–310, 1 fig.; Heidelberg.
- VOZNIJUK, G. G. & GORSHKOV, V. A. (1983): Mine Water Utilization in the USSR National Economy. – *Int. J. Mine Water*, **2** (1): 23–30, 1 fig.; Granada.
- VREÈEK, P. & BENEDIK, L. (2002): Determination of  $^{210}\text{Pb}$  and  $^{210}\text{Po}$  in Sediments, Water, and Plants in an Area Contaminated with Mine Waste. – *Mine Water Environ*, **21** (4): 156–159, 2 fig., 3 tab.; Berlin.
- VUTUKURI, V. S. & SINGH, R. N. (1993): Recent Developments in Pumping Systems in Underground Metalliferous Mining. – *Mine Water Environ*, **12** (1–4): 71–94, 18 fig.; Wollongong.
- VUTUKURI, V. S. & SINGH, R. N. (1995): Mine Inundation – Case Histories. – *Mine Water Environ*, **14** (1–4): 107–130, 12 fig., 2 tab.; Wollongong.
- WAGGITT, P. (2001): Environmental Compliance Requirements to be Observed by Active and Closed-out Uranium Mines in Northern Australia – an Update. – *Mine Water Environ*, **20** (4): 178–189, 4 fig.; Berlin.
- WALDER, I. F., NILSSEN, S., RÄISÄNEN, M. L., HEIKKINEN, P., PULKKINEN, K., KORKKA-NIEMI, K., SALONEN, V.-P., DESTOUNI, G., HASCHE, A., WOLKERSDORFER, C., WITKOWSKI, A. J., BLACHÈRE, A., MOREL, S., LEFORT, D., MIDŽIÆ, S., SILAJDŽIÆ, I., COULTON, R. H., WILLIAMS, K. P., REES, B., HALLBERG, K. B. & JOHNSON, D. B. (2005): Contemporary Reviews of Mine Water Studies in Europe, Part 2. – *Mine Water Environ*, **24** (1): 2–37, 10 fig., 13 tab.; Berlin.
- WALKER, S. C. (1988): An Introduction to Screw-Type Pumps within the Mining Industry. – *Int. J. Mine Water*, **7** (2): 19–32, 5 fig.; Nottingham.
- WANDINGER, M. (1999): Water-related Issues in Permafrost Mining, with Special Emphasis on the Coal Mining of Spitsbergen (Norway). – *Mine Water Environ*, **18** (1): 67–74, 2 fig.; Lakewood, CO.
- WANG, M. & LI, J. (1987): Technology of Mine Water Control in China. – *Int. J. Mine Water*, **6** (3): 25–38, 7 fig.; Budapest.



- WARRENDER, R., PEARCE, N. J. G., PERKINS, W. T., FLORENCE, K. M., BROWN, A. R., SAPSFORD, D. J., BOWELL, R. J. & DEY, M. (2011): Field Trials of Low-Cost Permeable Reactive Media for the Passive Treatment of Circum-Neutral Metal Mine Drainage in mid-Wales, UK. – *Mine Water Environ*, **30** (2): 82–89, 4 fig., 3 tab.; Berlin.
- WATZLAF, G. R., SCHROEDER, K. T. & KAIRIES, C. L. (2000): Long-term performance of anoxic limestone drains. – *Mine Water Environ*, **19** (2): 98–110, 3 fig., 5 tab.; Berlin.
- WATZLAF, G. R. & ACKMAN, T. E. (2006): Underground Mine Water for Heating and Cooling using Geothermal Heat Pump Systems. – *Mine Water Environ*, **25** (1): 1–14, 9 fig., 2 tab.; Berlin.
- WAUGH, W. J., SMITH, G. M., BERGMAN-TABBERT, D. & METZLER, D. R. (2001): Evolution of Cover Systems for the Uranium Mill Tailings Remedial Action Project, USA. – *Mine Water Environ*, **20** (4): 190–197, 3 fig.; Berlin.
- WEIDNER, C., HENKEL, S., LORKE, S., RÜDE, T. R., SCHÜTTRUMPF, H. & KLAUDER, W. (2012): Experimental Modelling of Chemical Clogging Processes in Dewatering Wells. – *Mine Water Environ*, **31** (4): 242–251, 9 fig., 4 tab.; Heidelberg.
- WENDLAND, E. & HIMMELSBACH, T. (2002): Underground Waste Repositories in Exhausted Coal Mines – Recent Developments. – *Mine Water Environ*, **21** (4): 160–167, 11 fig.; Berlin.
- WERNER, E., DONOVAN, J. & BARKER, E. (2008): Alkaline Injection of Concentrated Sodium Hydroxide Solution into an Acidic Surface Mine Spoil Aquifer. – *Mine Water Environ*, **27** (2): 109–121, 9 fig., 3 tab.; Berlin.
- WERNER, F., BILEK, F. & LUCKNER, L. (2001): Implications of Predicted Hydrologic Changes on Lake Senftenberg as Calculated Using Water and Reactive Mass Budgets. – *Mine Water Environ*, **20** (3): 129–139, 8 fig., 4 tab.; Berlin.
- WESTERSTRAND, M. & ÖHLANDER, B. (2011): Geochemical Effects of Increased Production on Recirculated Process Water at the Kiirunavaara Iron Mine, Northern Sweden. – *Mine Water Environ*, **30** (4): 252–262, 8 fig., 7 tab.; Berlin.
- WHEELER, A. (1988): Pumps and Pumping – What the Industry wants from Pump Manufacturers. – *Int. J. Mine Water*, **7** (2): 1–6; Nottingham.
- WHITBREAD, J. J., WILLIAMS, R. E. & MILLER, S. M. (1992): A Statistical Method to evaluate potentially similar Zones of Groundwater Discharge at the Bunker Hill Mine near Kellogg, Idaho. – *Mine Water Environ*, **11** (3): 17–25, 4 fig., 2 tab.; Wollongong.
- WIEBER, G. (2002): Ground Water in Abandoned Mercury Mines: A Study from the Saar-Nahe Basin in Southwestern Germany. – *Mine Water Environ*, **21** (2): 73–80, 5 fig., 4 tab.; Berlin.
- WILKIN, R. T. (2008): Contaminant Attenuation Processes at Mine Sites. – *Mine Water Environ*, **27** (4): 251–258, 2 tab.; Berlin.
- WILLIAMS, R. E. & KIRSCHNER, F. E. J. (1992): Hydrogeological Evaluation of a Prototype In-situ Leach Cell in Unsaturated Lead-Zinc Mine and Mill Wastes. – *Mine Water Environ*, **11** (4): 23–33, 7 fig.; Wollongong.
- WISOTZKY, F. (2001): Prevention of Acidic Groundwater in Lignite Overburden Dumps by the Addition of Alkaline Substances: Pilot-scale Field Experiments. – *Mine Water Environ*, **20** (3): 122–128, 6 fig., 2 tab.; Berlin.





- WOLKERSDORFER, C. (2002): Twenty years of the International Mine Water Association Journal – the First Issue. – *Mine Water Environ*, **21** (2): 100–101, 3 fig.; Berlin.
- WOLKERSDORFER, C. (2004): Mine Water Literature in ISI's Science Citation Index Expanded™. – *Mine Water Environ*, **23** (2): 96–99, 3 fig., 3 tab.; Berlin.
- WOLKERSDORFER, C. (2011): Tracer Test in a Settling Pond – The Passive Mine Water Treatment Plant of the 1 B Mine Pool, Nova Scotia, Canada. – *Mine Water Environ*, **30** (2): 105–112, 6 fig., 1 tab.; Berlin.
- WOLKERSDORFER, C. (2012): Wood: Disasters and Minewater (Book Review). – *Mine Water Environ*, **31** (3): 233–235; Heidelberg.
- WOLKERSDORFER, C. & BOWELL, R. (2004): Contemporary Reviews of Mine Water Studies in Europe. – *Mine Water Environ*, **23** (4): 162; Berlin.
- WOLKERSDORFER, C. & BOWELL, R. (2005): Contemporary Reviews of Mine Water Studies in Europe. – *Mine Water and the Environment* (electronic edition), **24** (3): 1–76, 33 fig., 21 tab.; Berlin.
- WOLKERSDORFER, C. & THIEM, G. (1999): Ground Water Withdrawal and Land Subsidence in Northeastern Saxony (Germany). – *Mine Water Environ*, **18** (1): 81–92, 3 fig., 4 tab.; Lakewood, CO.
- WOLKERSDORFER, C., FELDTNER, N. & TREBUŠAK, I. (2002): Mine Water Tracing – A Tool for Assessing Flow Paths in Flooded Underground Mines. – *Mine Water Environ*, **21** (1): 7–14, 3 fig., 3 tab.; Berlin.
- WOLKERSDORFER, C., YOUNGER, P. L. & BOWELL, R. (2004): PADRE – Partnership for Acid Drainage Remediation in Europe. – *Mine Water Environ*, **23** (4): 181–182; Berlin.
- WU, H. & CHEN, S. (1987): Studying and Controlling Mine Water in Xishmen Iron Mine. – *Int. J. Mine Water*, **6** (4): 15–30, 7 fig., 2 tab.; Nottingham.
- XAVIER, A. G. (1990): Environmental-Biochemical Aspects of Heavy Metals in Acid Mine Water. – *Int. J. Mine Water*, **9** (1–4): 43–55, 2 tab.; Castro Verde.
- XU, D. (1987): Mine Water Control in China's Karst Aquifers. – *Int. J. Mine Water*, **6** (2): 37–48, 8 fig., 1 tab.; Budapest.
- XU, J., LIU, S., WANG, B., ZHANG, P. & GUI, H. (2012): Electrical Monitoring Criterion for Water Flow in Faults Activated by Mining. – *Mine Water Environ*, **31** (3): 172–178, 10 fig.; Heidelberg.
- YANG, C. & WANG, Z. (2005): Surface Pre-grouting and Freezing for Shaft Sinking in Aquifer Formations. – *Mine Water Environ*, **24** (4): 209–212, 2 fig., 2 tab.; Berlin.
- YANG, J. E., SKOUSEN, J. G., OK, Y.-S., YOO, K.-Y. & KIM, H.-J. (2006): Reclamation of Abandoned Coal Mine Waste in Korea using Lime Cake By-Products. – *Mine Water Environ*, **25** (4): 227–232, 5 fig., 4 tab.; Berlin.
- YOUNGER, P. (2008): Towards Regulatory Criteria for Discharging Iron-rich Mine Water into the Sea. – *Mine Water Environ*, **27** (1): 56–61, 1 tab.; Berlin.
- YOUNGER, P. L. (2000): The adoption and adaptation of passive treatment technologies for mine waters in the United Kingdom. – *Mine Water Environ*, **19** (2): 84–97, 5 fig., 1 tab.; Berlin.



- YOUNGER, P. L. (2011): Hydrogeological and Geomechanical Aspects of Underground Coal Gasification and its Direct Coupling to Carbon Capture and Storage. – *Mine Water Environ*, **30** (2): 127–140, 2 fig., 4 tab.; Berlin.
- YU, P. (1994): Surface Subsidence in the Karst Mining Area in China. – *Mine Water Environ*, **13** (2): 21–25, 2 tab.; Wollongong.
- YULIN, Y. & HUANJIE, X. (1985): Development of Ammonium as a Chemical Grouting Material. – *Int. J. Mine Water*, **4** (3): 43–54, 9 fig., 4 tab.; Madrid.
- ZAMZOW, K. L., TSUKAMOTO, T. K. & MILLER, G. C. (2006): Waste from Biodiesel Manufacturing as an Inexpensive Carbon Source for Bioreactors Treating Acid Mine Drainage. – *Mine Water Environ*, **25** (3): 163–170, 4 fig., 3 tab.; Berlin.
- ZHAN, G., HAGGARTY, S. & LUDWICK, W. (2012): Hydrological Evaluation of Gold Leach Pad Rinsing. – *Mine Water Environ*, **31** (4): 307–311, 4 fig., 5 tab.; Heidelberg.
- ZHONG, W. H. (1982): A new Method of Mine Drainage Prediction using Unit Static Resource Method. – *Int. J. Mine Water*, **1** (3): 23–31, 1 fig., 3 tab.; Granada.
- ZHOU, J., SUN, J. & ZHANG, F. (1993): Origin of Mine Water by Using Environmental Isotope Techniques in Water-Logged Coal Mines, Pingdingshan, China. – *Mine Water Environ*, **12** (1–4): 63–69, 2 fig., 6 tab.; Wollongong.
- ZHU, Y., MERKEL, B. J., STOBER, I. & BUCHER, K. (2003): The Hydrogeochemistry of Arsenic in the Clara Mine, Germany. – *Mine Water Environ*, **22** (3): 110–117, 6 fig.; Berlin.
- ZIEMKIEWICZ, P., O'NEAL, M. & LOVETT, R. J. (2011): Selenium leaching kinetics and in-situ control. – *Mine Water Environ*, **30** (2): 141–150, 9 fig., 3 tab.; Berlin.
- ZIEMKIEWICZ, P. F., SKOUSEN, J. G. & SIMMONS, J. (2003): Long-term Performance of Passive Acid Mine Drainage Treatment Systems. – *Mine Water Environ*, **22** (3): 118–129, 1 fig., 7 tab.; Berlin.
- ZIPPER, C. E. & SKOUSEN, J. G. (2010): Influent Water Quality Affects Performance of Passive Treatment Systems for Acid Mine Drainage. – *Mine Water Environ*, **29** (2): 135–143, 5 fig., 4 tab.; Berlin.

---

Int J Mine Water: International Mine Water Association Journal (ISSN 0255-6960)

Mine Water Environ: Mine Water and the Environment (ISSN 1025-9112)